South Texas Coastal Zone Area Contingency Plan (STCZACP)

Natural Disaster Response Plan

Annex H May 2024

Record of Changes

Change Number	Change Description	Part Number	Change Date	Name
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				

Table of Contents

1000 Introduction	1
2000 Funding Authorities	1
2100 FEMA Mission Assignments	1
2200 Oil Spill Liability Trust Fund (OSLTF)	2
2300 Comprehensive Environmental Response, Compensation, and Liability ACT (CER	,
3000 Data Management during a Natural Disaster Response	
3100 Procedures for Field Data Documentation	
3110 Data Fields and Valid Values	
3120 Unique Identifier	
3130 Latitude and Longitude	
3150 Aerial Team Procedures	
3160 Surface Team Procedures	
3170 Procedures for Processing Field Data	4
3200 Data Flow and Review Process	6
3300 Data Fields and Valid Values	7
3310 Surface Hazard Evaluation Form	
3310 Aerial Hazard Evaluation Form	
3330 Target Site Inspection Form	12
4000 Sector Corpus Christi Impact Zones	13
4100 Historic Category 1-5 Hurricane Landfalls	13
4110 Category 1	
4120 Category 2	
4130 Category 3	
4140 Category 4 4150 Category 5	
4200 Tornado Threat for the Sector Corpus Christi AOR	
4300 Risk Graphics for Cameron County (Brownsville)	
4310 Storm Surge Category 1 Hurricane for Cameron County	19
4320 Storm Surge Category 2 Hurricane for Cameron County	
4330 Storm Surge Category 3 Hurricane for Cameron County	21
4340 Storm Surge Category 4 Hurricane for Cameron County	
4350 Storm Surge Category 5 Hurricane for Cameron County	22
4400 Risk Graphics for Nueces County (Corpus Christi)	
4410 Storm Surge Category 1 Hurricane for Nueces County	
4420 Storm Surge Category 2 Hurricane for Nueces County	
4440 Storm Surge Category 4 Hurricane for Nueces County 4450 Storm Surge Category 5 Hurricane for Nueces County	
4450 Storm Surge Category 5 Hurricane for Nueces County	
4500 Flood Information for Aransas County	
4600 Risk Graphics for Calhoun County (Port Lavaca)	
4610 Storm Surge Category 1 Hurricane for Calhoun County	
4620 Storm Surge Category 2 Hurricane for Calhoun County	

South Texas Coastal Zone Area Contingency Plan

4630 Storm Surge Category 3 Hurricane for Calhoun County	
4640 Storm Surge Category 4 Hurricane for Calhoun County	
4650 Storm Surge Category 5 Hurricane for Calhoun County	29
4660 Flood Information Map for Calhoun County	29
4700 Flood Information for Matagorda County	
5000 Operation Strategy for Marshes	31
5100 Marsh Cleanup Protocols	31
6000 Operation Strategy for Orphan Containers	33
6100 Orphan Container Response Options	
6110 Damaged and Leaking Orphan Container	34
6120 Damaged, Not Leaking Orphan Container	34
6130 Undamaged Orphan Container	34
7000 Endpoints for Target Closure	35
7100 Endpoint Criteria for Free of Oil Product	
7200 General Cleanup Endpoint Criteria for Orphan Containers	
7300 Target Closure for Oil Pollution Targets	
8000 Best Management Practices (BMPs)	37

List of Tables

Table 1 Data Fields and Valid Values of the Texas Natural Disaster Response Plan	7
Table 2 Surface Hazard Evaluation Form	
Table 3 Aerial Hazard Evaluation Form	11
Table 4 Target Site Inspection Form	
Table 5 Target Closure Concurrence Definitions	

List of Figures

Figure 1 Type 1 Documentation Unit Leader support organization chart (ICS-207)	5
Figure 2 Data Flow diagram	6
Figure 3 Task Forces Debrief Process	. 6

List of Pictures

Picture 1 Historical Category 1 Hurricane Landfall Data	. 13
Picture 2 Historical Category 2 Hurricane Landfall Data	. 14
Picture 3 Historical Category 3 Hurricane Landfall Data	. 15
Picture 4 Historical Category 4 Hurricane Landfall Data	. 16
Picture 5 Historical Category 5 Hurricane Landfall Data	. 17
Picture 6 Tornado Risks Data	. 19
Picture 7 Storm Surge Category 1 Hurricane	. 20
Picture 8 Storm Surge Category 2 Hurricane	. 20
Picture 9 Storm Surge Category 3 Hurricane	. 21
Picture 10 Storm Surge Category 4 Hurricane	. 21
Picture 11 Storm Surge Category 5 Hurricane	. 22

Picture 12 Flood Information Map	22
Picture 13 Storm Surge Category 1 Hurricane	
Picture 14 Storm Surge Category 2 Hurricane	
Picture 15 Storm Surge Category 3 Hurricane	
Picture 16 Storm Surge Category 4 Hurricane	
Picture 17 Storm Surge Category 5 Hurricane	25
Picture 18 Flood Information Map for Nueces County	
Picture 19 Flood Information Map for Aransas County	
Picture 20 Storm Surge Category 1 Hurricane	
Picture 21 Storm Surge Category 2 Hurricane	
Picture 22 Storm Surge Category 3 Hurricane	
Picture 23 Storm Surge Category 4 Hurricane	
Picture 24 Storm Surge Category 5 Hurricane	
Picture 25 Flood Information Map for Calhoun County	
Picture 26 Flood Information Map for Matagorda County	

1000 Introduction

Oil and chemical production and storage facilities in southern Texas are susceptible to dangerous hurricanes and severe weather. More than 45 hurricanes have passed close to the Texas coastal zone in the last century, causing severe damage from wind and storm surge. On average, a tropical storm or hurricane is expected to strike somewhere along the Texas coast about once a year. The flat coastal zones of Texas make tropical storms and hurricanes especially dangerous. Storm surge pushed by an approaching hurricane can reach heights of more than 20 feet and spread far inland, devastating anything in its path. After a hurricane, access to most of southern Texas is very difficult as the roads and supporting infrastructure are either flooded or destroyed by the storm. High water, waterways closures, and obstructions in what were previously deemed as safe navigable waters, eliminate many conventional transportation methods.

Unlike most oil discharges and chemical releases, where there is a single point source at one location from which the spill spreads, the pollution associated with hurricanes and tropical storms are usually widespread. There is a higher potential for pollution incidents along the Gulf Coast because of the wide distribution of oil and chemical production activities within the state. In addition to pollution from production facilities, oil storage tanks, and pipelines, there will typically be smaller discharges of refined oil products such as diesel fuel and gasoline from fishing vessels, small fuel storage tanks, and motor vehicles. The total destruction caused by a storm can leave tens of thousands of containers of industrial and household hazardous waste and materials dispersed throughout the area.

Pollution response, under the umbrella of the National Response Framework (NRF), is possible using plans, capabilities, and partnerships forged in accordance with the National Contingency Plan (NCP), combined with the effective use of the Incident Command System (ICS). The NCP should not get lost in the shuffle of the massive federal, state and local response associated with the full implementation of the NRF.

To successfully respond to a natural disaster, it is paramount that there is effective, simultaneous management of large amounts of discrete pollution targets. Incident management teams must ensure that the data management tools selected are scalable and adaptable to suit the dynamic information needs of the response.

2000 Funding Authorities

2100 FEMA Mission Assignments

When a natural disaster is of such magnitude that a state government's resources are overwhelmed, the state may request federal response assistance to supplement ongoing disaster relief activities. The reimbursement of federal agency expended funds in support of Federal Emergency Management Agency (FEMA) disaster relief efforts is permitted when support is provided under a Mission Assignment (MA). An MA is a work order issued to a Federal agency by FEMA directing the completion of a specific task, and citing funding, management controls, and guidance. Although most agencies assigned a MA will be reimbursed for their efforts, under the Stafford Act FEMA can task agencies without expectation of reimbursement. MAs are directives issued by FEMA. They are not contracts or Interagency Agreements (IAAs). MAs are agreements between FEMA and the responding agencies. In most cases, MAs are issued only for assistance under the

Stafford Act, not for assistance provided that would normally fall under an agency's independent authorities or responsibilities. For example, the Coast Guard would not receive an MA for search and rescue activities conducted offshore after a hurricane because mission is conducted under the Coast Guard's statutory authority.

MAs are typically assigned by FEMA to address actions required under one of the 15 different Emergency Support Functions (ESFs) described in the NRF. The NRF establishes a comprehensive all-hazards approach to enhance the ability of the federal government to manage domestic incidents. Consequently, the ESFs are categorized around the major response and recovery functions associated with an incident, such as ESF 1 – Transportation, ESF 9 – Search and Rescue, and ESF 10 – Oil and Hazardous Materials. The Coast Guard has primary for ESF 9 and ESF 10. In addition to its role as primary, the Coast Guard may receive tasking by FEMA under several MAs for the other ESFs; e.g. an air station launches a helicopter to provide damage assessments for FEMA (ESF-5 Emergency Management) and launches a second helicopter to provide transportation (ESF-7 Logistics Management and Resource Support) for disaster personnel and supplies.

2200 Oil Spill Liability Trust Fund (OSLTF)

The OSLTF pays for removal costs and damages resulting from oil spills or substantial threats of oil spills to navigable waters of the United States. The OSLTF is used for costs not directly paid by the polluter, referred to as the responsible party (RP). The fund is also used to pay costs to respond to "mystery spills," for which the source has not been identified. Since mystery spills are anticipated before a storm impacts southeast Texas, it is likely the FOSC will have a relatively small OSLTF funding stream open to get contracted resources deployed as quickly possible after the storm passes. The ceiling limit on this OSLTF project will vary depending on the needs of the response and how soon a mission assignment can be issued to take over the costs. It is likely that responsible parties, natural resource trustees and other third parties will submit claims against the OSLTF after the storm.

2300 Comprehensive Environmental Response, Compensation, and Liability ACT (CERCLA)

CERCLA enables Federal agencies to respond immediately to hazardous substance releases and contamination problems that pose a threat to public health and the environment. Removal costs are recovered from the RP(s) by EPA. Post-storm, there will be a prevalent threat to public health due to the presence of orphaned containers in yards, schools, playgrounds, workplaces and other public locations as citizens return to their counties after the flooded and impacted areas are accessible. Threats to the environment exist when orphaned containers are deposited into the wetlands, wildlife refuges, and many other sensitive ecosystems. Additional threats include releases from chemical facilities, chemical transfer facilities, and various other facilities that use, produce, transport, or have a supply of hazardous substances. The Superfund was designed to address discrete incidents and not multiple chemical releases across a large region. Hence, the full impact of hazardous substances to the public and the environment cannot be ascertained in totality with limited CERCLA funding. For HAZMAT, an ESF-10 mission assignment is *critical* to completing a comprehensive needs assessment and mitigating all actual and potential releases of hazardous substances that are an imminent and substantial threat to the coastal zone.

The highest priority HAZMAT targets will be those that are actively leaking, an imminent threat to public health or welfare and/or have actual or potential impact to navigable waterways. Where the responsible parties are known, an initial effort initially shall be made, to the extent practicable, to determine whether they can and will perform the necessary removal action promptly and properly.

3000 Data Management during a Natural Disaster Response

The pollution response component of a natural disaster response presents a set of challenges unlike other pollution responses. The pollution threats are numerous and spread over a large geographic area. Oil and hazardous material data needs to be collected into a central response database in order to track all targets for prioritization, management of resources and situational awareness. The multitude of pollution targets can be from a variety of sources, including wellheads, facilities, orphan containers or vessels. Effective data management is critical during a multi-target response in order to ensure appropriate use of resources. The following document is designed to assist in ensuring the success of data management during a natural disaster response.

3100 Procedures for Field Data Documentation

Field documentation is critical for the success of any response, either for a single barrel of oil being discharged by a vessel or for a large scale Type 1 incident. The command cannot make sound decisions without sound data flowing from the field. As field personnel report data captured in the field, they must ensure that the information is accurate and timely.

3110 Data Fields and Valid Values

Data fields are the pre-determined pieces of information that the response wants to capture. Valid values are the acceptable inputs for those data fields. Once an agreement upon the data fields and valid values is reached, the field data collection forms, response database and other deliverables are created. Data fields and valid values are considered a minimum description of a oil and hazardous material target and DO NOT alleviate the need for traditional investigation, SCAT, reporting to NRC and other required documentation of a target. The data fields, valid values, and resulting products are intended to capture baseline data for Unified Command and Operations Section. This information allows the UC and Operation Section to properly manage their resources and mitigate oil and hazardous material threats during a post-natural disaster response with multiple targets.

3120 Unique Identifier

While the NRC number usually plays this role, during a post-natural disaster response an NRC number might not be immediately available. To fill this gap, a temporary unique identifier for each target shall be assigned. A unique identifier is an alpha-numeric label identifies a particular target for tracking purposes. The unique identifier shall be formatted as follows: YYYYMMDD_Team Name_Daily Number. For example: **20121006_HEG2_002** = the second target found by HEG Team 2 on Oct 06, 2012.

The unique identifier should not change throughout the response. To prevent confusion, field teams should, if possible, mark the target (with a sticker, hanging tag or spray paint) so that subsequent

teams will know that this target was already assessed and assigned a unique identifier. When a target eventually receives its primary NRC number, this update should be reflected on the labeling of the target itself. The temporary unique identifier, primary NRC number and secondary NRC number(s) will be listed in the database for cross reference purposes.

3130 Latitude and Longitude

Obtain a latitude/longitude point with a satellite enabled GPS unit for observed discharges or releases at facilities, vessels or other sources. If the oil and hazardous material target covers an area (not a single point location) obtain lat/long points that outline the target. Make certain that the GPS unit is set to use "WGS84" as the horizontal datum, set to read coordinates in decimal degrees (dd.dddd) and Auto Tracking is turned on. Documentation needs latitude/longitude to 5 decimal points. The <u>safest</u> location for observing an oil and hazardous material target is upwind.

All personnel **MUST VERIFY** all lat/long position data by comparing observations against satellite imagery by means of GIS application (Google Earth, ERMA, Enterprise GIS, SONRIS, Response Manager, etc). This step, when combined with data entry, is time consuming and field personnel should return to ICP/FOB early enough in the day to ensure sufficient time is dedicated to data entry and QA/QC.

3140 Photo Documentation

Prior to departure to field, ensure that camera is set to local time and spare batteries are available. A clear photo of GPS unit with the time (in 24-hr, hh:mm:ss format) taken at the beginning of operations will allow for geo-referencing of photos by using the Track Log from the GPS unit.

It is better to take a few good photos than many useless photos. Utilization of photo scales, recognizable landmarks and "the rule of thirds" will help ensure photos are useful to command post personnel.

3150 Aerial Team Procedures

Aerial Team could consist of a Rapid Needs Assessment Task Force or a Hazard Evaluation Group Task Force. Aerial Assessment Teams are not expected to conduct detailed documentation of targets, but are expected to capture critical data for decision makers. A special form with limited data entry has been created to reduce the data collection requirements and expedite the assessment process. Data that aerial assessment teams will be capturing include nature of oil versus hazardous material, source, location, and size of affected area.

3160 Surface Team Procedures

Surface Assessment Team (ground and/or water) and other group task forces will conduct more detailed documentation and complete a more thorough field data collection process because ground assets generally travel slower and have more time to make detailed observations. The field data collection forms will contain most all the data fields.

3170 Procedures for Processing Field Data

The most challenging aspect of data processing is ensuring that the incoming data is of high quality. In order to overcome this challenge, it has to be emphasized to field personnel the

importance of thorough observations and proper documentation. The quality of the incoming data will directly affect the quality of the deliverables that the Unified Command, Section Chiefs and other decision makers will be using to manage the response. The illustrations below illustrate the general flow of data from the field to decision makers. Refer to the diagram below.




Figure 1 Type 1 Documentation Unit Leader support organization chart (ICS-207)

3200 Data Flow and Review Process

Please note that the Task Forces Debrief Process intersects/feeds into the OPS and DMU Review Data portion of the process.




Figure 3 Task Forces Debrief Process

Task Forces are the eyes and ears in the field for the response and collect invaluable data not only about targets, but also about operational challenges and recommendations. This acquired knowledge needs to be debriefed to their respective supervisor and inputted into the response database for processing. The team leader is responsible for initial data entry and initial QA/QC of data because they are the experts about their own field observations. Generally, the team leader is the most experienced member of the team.

information

3300 Data Fields and Valid Values

The following table describes the data fields and valid values for the Texas Natural Disaster Response Plan - Marine Environmental Response. The data fields and valid values in this table define the terms utilized during the response to ensure clear communication. The response database and associated forms are built around these data fields and valid values.

Data Field	Format	Valid Values	
Date Initially Assessed	YYYYMMDD	Date that target was first discovered	
Field Team Initially	AAA0	Three letters and one number – the	
Assessed		field team which discovered target	
Daily Number	Three digit number	000 to 999, resets each day for each	
		team	
Date Updated	YYYYMMDD	Date that entry to spreadsheet is	
		modified, this will allow for	
		tracking the timeline of changes to	
		target information	
Field Team Updated	AAA0	Three letters and one number –	
		tracking which field team has	
		provided updated information	
		about target	
Location Name	BLANK BAYOU	Waterway, street, landmark, etc	
Responsible Party	BLANK ENERGY	When known	
Target Latitude	DD.DDDDDD	Positive Number, 0 to 90	
Target Longitude	DD.DDDDDD	Negative Number, 0 to 180	
Grid	A00	One letter and two numbers	
Hazardous Category	OIL or HAZ	To delineate for OPS	
Not explicitly in form			
HAZ Type	Three letter code	DRM = Drum	
Only for HAZ targets		CYL = Cylinder	
(CERCLA)		TOT = Tote	
		BCK = Bucket	
		TNK = Tank	
		FAC = Facility	
		DBL = Debris Line (not a single	
		target)	

Data Field	Format	Valid Values	
HAZ Count	Number	Number, or approximate number,	
Only for HAZ targets		of HAZ targets within a debris field	
(CERCLA)		or contained within the specified	
		target	
Oil Type	Three letter code	VSL = Vessel	
Only for oil targets		PPL = Pipeline	
(OPA 90)		FAC = Facility	
		WHD = Wellhead	
		SHN = Sheen	
		UNK = Unknown, Mystery Source	
% Coverage	Percentage of area being	Percentage of oil within the given	
Only for oil targets	covered by product	length, width	
(OPA 90)			
Length	Number in feet	For debris fields and oil targets	
For 2D targets			
Width	Number in Feet	For debris field and oil targets	
For 2D targets		_	
Capacity	Number in Gallons	5, 55, 250, 1000, UNK, Worst Case	
		Discharge	
Discharge/Release	Number in Gallons, lbs, cubic	50, 100, 10000, UNK - units of	
Amount	meters	measure need to be noted!	
	1 Oil Barrel = 42 US gallons		
Condition	Three letter code	DNO = Damage-No	
		Discharge/Release	
		DDR = Damaged-discharge/release	
		NOD = No damage	
		FIR = Fire	
		EMG = Emergency	
		UNK = Unknown	

Data Field	Format	Valid Values	
Status	Three letter code	RED	
	Color designation is for target	FAR = Further Assessment	
	maps	Required	
	-	RP = Requires RP action	
		SOP = Requires Special Ops	
		YELLOW	
		$\overline{MIT} = Mitigation underway$	
		RDY = Ready for stakeholder site	
		visit and sign off	
		GREEN	
		INF = Item not found	
		REF = Refer to other agency (and	
		agency is noted in comments) LIP = leave in place and no further	
		action	
		NFA = No Further Action	
		REM = Removed and brought to	
		pad	
		RRP = Removed by RP	
		DIS = Disposed	
		SGN = closed by stakeholder site	
		visit and sign off	
Concurrence	Drop-down	No Concurrence (No Sign-off)	
	-	No Further Action (Signed-off)	
		Referred to Regulatory Agency	
		(Signed-off)	
		Unfounded (Signed-off)	
Concurrence Note	Comment Box	Notes about concurrence	
Action Taken	Text Box	Details to support the chosen	
		STATUS	
Recommendations	Text Box	Recommendation for mitigation	
Resource Needs	Text Box	Supporting the recommendations	
Comments	Text Box	Catch all for other data	
Photographs	Text Box	For listing the names of	
		photographs associated with target	
Primary NRC Number	123456	This should have only one value	
		and used as the primary NRC	
		number	
Support NRC	123456	This is a listing of other NRC	
Number(s)		numbers associated with this one	
		target i.e. 123456. 234567, 345678,	
		987654	

3310 Surface Hazard Evaluation Form

Field Team:		TIME - 24hr F	ormat	
Date (YYYMMDD):				End:
Evaluation by: Foot / Boat / Airboat /		Weather: Sun / Cloud / Fog / Rain / Snow /		
Helicopter / Plane		Windy	Cloud	10g / Rull / Blow /
Start Latitude:		Start Longitud	e:	
End Latitude:		End Longitude		
Name	Organization	Ena Longitude	Phone	
	organization		Thome	
Unique Identifier: (i.e. 2013		2)		
Date (YYYYMMDD):	Team Name (/	Daily	Seq Number:
Latitude (dd.dddddd):	· · · · · · · · · · · · · · · · · · ·	Grid:		•
Longitude (dd.dddddd):		Responsible Pa	arty:	
Location Description:		HAZ Type:	•	Oil Type:
		HAZ Count:		% Coverage:
Capacity:				
gallons/lbs/ cubic meters				
Discharge/Release Amount:		Length:		Width:
gallons/lbs/ cubic meters		feet		feet
Condition:		Status		
Action Taken:				
Recommendations:		Resource Needs:		
Comments:		Photographs:		
Primary NRC:		Support NRC:		
Unique Identifier: (i.e. 2013	0801 HEB1 002			
Date (YYYYMMDD):	Team Name (Daily	Seq Number:
Latitude (dd.dddddd):	- · · · · ·	Grid:		
Longitude (dd.dddddd):		Responsible Pa	arty:	
Location Description:		HAZ Type:		Oil Type:
,		HAZ Count:		Oil % Distr:
Capacity:				
gallons/lbs/cubic meters				
Discharge/Release Amount:		Length:		Width:
gallons/lbs/ cubic meters		feet		feet
Condition:		Status		
Action Taken:				
Recommendations:		Resource Need	ls:	
Comments:		Photographs:		
Primary NRC:		Support NRC:		

Table 2 Surface Hazard Evaluation Form

3310 Aerial Hazard Evaluation Form

Field Team:		TIME - 24hr F	ormat	
Date (YYYYMMDD):		Start:		End:
Evaluation by: Foot / Boat / Airboat /				Fog / Rain / Snow /
Helicopter / Plane		Weather: Sun / Cloud / Fog / Rain / Snow / Windy		
Start Latitude:		Start Longitude:		
End Latitude:		End Longitude:		
Name	Organization	Phone		
Unique Identifier: (i.e. 2013)	0801 HEB1 002	?)	1	
Date (YYYYMMDD):	Team Name (A			Seq Number:
Latitude (dd.dddddd):	· · · · · · · · · · · · · · · · · · ·	Grid:		•
Longitude (dd.dddddd):		HAZ Type:		
Location Description:		HAZ Count:		Oil Type:
		HAZ Count:		% Coverage:
Capacity:				
gallons/lbs/ cubic meters				
Discharge/Release Amount:		Length:		Width:
gallons/lbs/ cubic meters		feet		feet
Unique Identifier: (i.e. 2013)				
Date (YYYYMMDD):				
Latitude (dd.dddddd):		Grid:		
Longitude (dd.dddddd):		HAZ Type:		
Location Description:		HAZ Count:		Oil Type:
		HAZ Count:		% Coverage:
Capacity:				
gallons/lbs/cu m				
Discharge/Release Amount:		Length: feet		Width:
	gallons/lbs/cu m			feet
Unique Identifier: (i.e. 2013)			1	
Date (YYYYMMDD):	Team Name (A	/	Daily S	Seq Number:
Latitude (dd.dddddd):		Grid:		
Longitude (dd.ddddd):		HAZ Type:		1
Location Description:		HAZ Count:		Oil Type:
		HAZ Count:		% Coverage:
Capacity:				
gallons/lbs/ cubic meters				
Discharge/Release Amount:		Length:		Width: feet
gallons/lbs/ cubic meters		feet		

Table 3 Aerial Hazard Evaluation Form

3330 Target Site Inspection Form

1 CENEDAL INFORMATION	Deta (ddamara)	Time (241	- I1 T:)	T:4-			
1. GENERAL INFORMATION Site Name:	Date (ddmmyy)	Time (24n r	s Local Time)	Tide Height			
SCAT Division/Grids:	-			LMH			
Inspection By: Foot -Airboat -Boat -Other		Sup Clouds	Fog Pain Snow W				
2. INSPECTION TEAM Name				indy			
2. INSPECTION TEAM Name	, Organization		, and Signature				
3. Grids Description of Shoreline Surveyed:							
4 SHORELINE TYPES Select Primary (P)	and Secondary (S)	Habitat Types P	resent				
Marsh or Wetlands (includes Floating Ma	arsh)	Manmade Stru	ctures				
Tidal Flats/Mud Flats		Wave-cut Scarps					
Shell or Mixed Sand & Shell Beaches		Other:					
5 CLEANUP ENDPOINTS RI	EFER TO ENDPOINT	'S (09 SEPTEM	BER 2012)				
Yes No							
Has Operations remediated the target such that all	l endpoints been reache	ed?					
· -	· · · · · · · · · · · · · · · · · · ·						
If no, please explain:							
Other oiling conditions or observations:							
6 RECOMMENDATIONS							
	anun (Staga 1) Camm	- anta-					
Yes No Recommend Additional Active Cleanup (Stage 1). Comments:							
Yes No Recommend continued maintenance of passive sorbent recovery for sheens (Stage 2). Comments:							
Vac No Cita mosta the interim alegance of the	oints (Store 2) De	nmond noticeal	any for residual 1	lution			
Yes No Site meets the interim cleanup endp	onnis (Stage 3). Recon	minend natural re	covery for residual pol	iution.			
Photos taken? Yes – No Additional Comments: Yes – No (if yes, see attached)							


Table 4 Target Site Inspection Form

4000 Sector Corpus Christi Impact Zones 4100 Historic Category 1-5 Hurricane Landfalls


4110 Category 1

Landfall alone does not tell the full story. Because of the size of the hurricanes, impacts are typically felt well beyond the site of landfall. Within the South Texas Coastal Zone planning area, the impacts from a hurricane are frequently felt in multiple ports.


(Maps are from NOAA Historical Hurricane Tracks)




Picture 1 Historical Category 1 Hurricane Landfall Data




Picture 2 Historical Category 2 Hurricane Landfall Data



Picture 3 Historical Category 3 Hurricane Landfall Data




Picture 4 Historical Category 4 Hurricane Landfall Data



Picture 5 Historical Category 5 Hurricane Landfall Data

4200 Tornado Threat for the Sector Corpus Christi AOR

Though it is not a frequent threat to Sector Corpus Christi planning area, tornadoes can have a major impact within the planning area. Tornadoes are **frequently** associated with hurricanes.




Picture 6 Tornado Risks Data

4300 Risk Graphics for Cameron County (Brownsville) 4310 Storm Surge Category 1 Hurricane for Cameron County


(Maps are available through National Storm Surge Hazard Maps)

South Texas Coastal Zone Area Contingency Plan



Picture 7 Storm Surge Category 1 Hurricane

4320 Storm Surge Category 2 Hurricane for Cameron County




Picture 8 Storm Surge Category 2 Hurricane

National Storm Surge Hazard Maps Texas to Maine Puerto Rico and U.S. Virgin Islands Hawaii Hispaniola Category 1 Category 2 Category 3 Category 4 Category 5 V LEGEND s national depiction of storm surge flo ricane-prone coastal areas along the valuate their risk to the storm surge I rm surge Is not Just a beachfront prob actions may miles inland from the in sug-might LLS. East and Gulf Coasts and Puerto Ric surge hazard. These maps make it clear that is not problem, with the risk of storm surge m the immediate coastime in some areas. If you have not an surge evacuation to note as prescribed by the storm surge evacuation to note as prescribed by it go and how you will get there. If and when ong manager to exactate. If you don't live in or perhaps you can identify someone you care into mme. and you could plan in advance to be 슶 Less than 3 feet above ground Greater than 3 feet above ground Greater than 6 feet above ground Greater than 9 feet above ground Leveed area Consult local officials for flood risk The SLOSH (See, Lake, and Overland Surges from Hurricanes) model is a numerical model used by NWS to compute storm surge. Storm surge is defined a the abormal rise of water generated by a storm, over and above the predicted astronomical ticks. Flooding from storm surge depends on many factors, such as the track, interacity, site, and forware speed of the hypotenesses nearbork. For s, the NHC uses a re hario of flooding for each hu mploys curvilinear polar, elliptical, and hyperbolic telescoping mesh g ate the storm surge hazard. The spatial coverage for each SLOSH grid PA, USDA, NPS | NOAA/NWS/NHC/Storm Surge Unit, NOAA/NOS/Offic...


4330 Storm Surge Category 3 Hurricane for Cameron County

Picture 9 Storm Surge Category 3 Hurricane

4340 Storm Surge Category 4 Hurricane for Cameron County




Picture 10 Storm Surge Category 4 Hurricane



4350 Storm Surge Category 5 Hurricane for Cameron County National Storm Surge Hazard Maps

Picture 11 Storm Surge Category 5 Hurricane




4360 Flood Information Map for Cameron County

Picture 12 Flood Information Map

4400 Risk Graphics for Nueces County (Corpus Christi)


4410 Storm Surge Category 1 Hurricane for Nueces County

(Maps are available through National Storm Surge Hazard Maps)




Picture 13 Storm Surge Category 1 Hurricane

4420 Storm Surge Category 2 Hurricane for Nueces County




Picture 14 Storm Surge Category 2 Hurricane




4430 Storm Surge Category 3 Hurricane for Nueces County

Picture 15 Storm Surge Category 3 Hurricane

4440 Storm Surge Category 4 Hurricane for Nueces County




Picture 16 Storm Surge Category 4 Hurricane




4450 Storm Surge Category 5 Hurricane for Nueces County

Picture 17 Storm Surge Category 5 Hurricane

4460 Flood Information Map for Nueces County




Picture 18 Flood Information Map for Nueces County



4500 Flood Information for Aransas County


Picture 19 Flood Information Map for Aransas County

4600 Risk Graphics for Calhoun County (Port Lavaca) 4610 Storm Surge Category 1 Hurricane for Calhoun County




Picture 20 Storm Surge Category 1 Hurricane

4620 Storm Surge Category 2 Hurricane for Calhoun County




Picture 21 Storm Surge Category 2 Hurricane




4630 Storm Surge Category 3 Hurricane for Calhoun County

Picture 22 Storm Surge Category 3 Hurricane

4640 Storm Surge Category 4 Hurricane for Calhoun County




Picture 23 Storm Surge Category 4 Hurricane




4650 Storm Surge Category 5 Hurricane for Calhoun County

Picture 24 Storm Surge Category 5 Hurricane



4660 Flood Information Map for Calhoun County

Picture 25 Flood Information Map for Calhoun County



4700 Flood Information for Matagorda County

Picture 26 Flood Information Map for Matagorda County

5000 Operation Strategy for Marshes

This guidance is developed to ensure net environmental benefit during natural disaster response operations. This document focuses primarily on oil releases into marshes, but similar practices should be adapted for chemical releases. If the techniques below are not applicable to non-oil release, then consult with the Environmental Unit for target review and recommendations.

5100 Marsh Cleanup Protocols

Aggressive cleanup of free product releases in marshes may actually cause greater long-term damage than the pollutant itself. Any physical cleanup activities in marsh areas must be in accordance with the following guidelines to prevent unacceptably high collateral damage to marsh vegetation and entrainment or entrapment of oil product into sediments:

- Any foot traffic in the marshes shall avoid oiled grasses and sediments and utilize one-way-in and one-way-out traffic patterns. Walking boards shall be placed in travel lanes and crosswalks in the marsh.
- All treatment operations in the marshes will be done from the walking boards, without direct foot traffic in the marsh. Walking boards should not be placed in unoiled marsh areas or landward of the oiled wrack line. No foot traffic or other entry by response personnel or equipment should occur in these un-oiled areas unless approved by the Unified Command.
- All vessel approaches to the marshes shall be limited to grounding the bow of the vessel on the fringe of the marsh. Vessels shall avoid landing directly on top of the marsh grasses as much as possible.
- Water channels shall be used for navigation through the marshes. Under no circumstances shall vessels run over the top of or across the marsh grasses. Stopping or landing a vessel on top of the marshes is prohibited.

Sorbent boom should be staked along the front edge of oiled marsh for passive recovery of sheens. These sorbents must be inspected and replaced routinely. Best professional judgment by the Environmental Unit should be used to determine if further treatment or cleanup would aid or delay recovery of the vegetation. This judgment should be based on fact, past studies or data from previous oil spills.

Oiled vegetative wrack at the water's edge can be manually picked up and removed with hand tools such as shovels, rakes, and pitchforks. Wrack in the marsh interior should not be removed, even near the source, unless it is heavily oiled with the potential to cause sheen or substantial contact risk to wildlife. In difficult to access areas due to water depth, pooled oil may potentially be collected from a shallow skiff or airboat. This collection can be conducted by using sorbent pads or vacuum systems with duck bills or other applicable and approved methods.

Low-pressure, high-volume flushing can be utilized by operations to mobilize oil from marsh and into a containment boom with sorbent tubes and/or collection system. The Environmental Unit is to be notified if this technique is desired.

Cleanup is expected to progress in three phases:

- Phase 1 Source Control and Removal Phase that focuses on containment, recovery of mobile oil, and initial shoreline cleanup (e.g., bulk oil removal/gross decontamination).
- Phase 2 Managed Recovery Phase that consists of any final cleanup activities to mitigate residual pollution. The Managed Recovery Phase would typically include oil recovery using sorbent booms, demobilization and cleaning of equipment no longer needed, and final disposal issues. Although generally reduced, the Managed Recovery Phase still requires federal and state oversight to ensure that all threats to the environment, to public health, and to safety are minimized.
- Phase 3 Natural recovery and restoration. No additional cleanup or active mitigation is required. Once any and all remaining booms, sorbents, cleanup materials, and response waste (if any) has been removed, the site will be left for natural recovery and closure and sign-off procedures will be implemented.

The overall cleanup objective is to minimize or eliminate threats to wildlife and natural resources while avoiding doing more harm than good. Site-specific guidance for each cleanup division grid may be generated by the Environmental Unit. The defined cleanup criteria may not be applicable (or even achievable) at all sites. Best professional judgment and the consensus of the Environmental Unit should be used to assess when the cleanup meets the above objectives. There may be additional requirements defined by private landowners or municipal managers, and such requirements may be outside the scope of the Unified Command.

6000 Operation Strategy for Orphan Containers

Following a natural disaster, the Texas coastal zone can littered with numerous drums, cylinders, tanks, and other containers that contain crude oil, refined petroleum products, chemicals and other hazardous materials (HAZMAT). Many of these items are stranded in and adjacent to residential communities, but others are stranded in adjacent coastal habitats that are accessed and utilized by the public. Most of these items are classified as orphaned, or abandoned, and are a threat to public health and safety because of the potential for direct exposure or secondary contamination. An additional concern is the unknown nature of the containers' contents. Changing weather conditions or exposure to fires may cause releases that would result in increased public risk and the potential need for evacuations.

To mitigate the threats posed by orphaned drums and hazardous materials, field operations will include a wide range of response activities and techniques. Due to the geographic extent of operations, Forward Operating Base(s) may need to be established to enhance operational effectiveness. The goal of all recovery operations will be to minimize the risk to the public and responders, and minimizing the environmental impact of the response operations overall. Any orphan container that can be accessed by field response teams is also accessible by the public and therefore constitutes a potential threat to public health and safety.

There are several phases to the orphaned drum and hazardous material container removal project: Assessment, Investigation, Operational Planning, Oil/Hazardous Material Removal and Disposal.

<u>Assessment</u> includes ground and aerial surveillance using small boats, airboats, and helicopters to identify and chart suspected threats. Aerial photographs will be correlated with recorded GPS overflight track lines for mapping and display in ERMA. Identified hazardous material and oil pollution related debris will be classified as drum, tank, cylinder, container, or other and prioritized by: no damage, damaged no spill, damaged leaking, or could not discern. The reconnaissance information will be used to develop situational awareness as to the scope of the problem and to direct future field activities.

<u>Investigations</u> relate to large orphan containers that have a known and viable industry owner. One objective of the investigation process is to attempt to contact the suspected owner to coordinate removal and any required pollution response under the owner's funding.

<u>Operational Planning</u> includes charting suspected targets using a GIS system, development of operational tactics, and any required natural resource trustee consultations. Technical experts and appropriate spill response guides such as the Emergency Response Guide (ERG), Material Safety Data Sheets (MSDS's), Chemical Hazards Response Information System (CHRIS), and Computer-Aided Management of Emergency Operations (CAMEO) reference resources should be consulted during operational planning to ensure a safe and properly mitigated response.

Actual <u>Oil/Hazardous Material Removal</u> will be conducted in a safe manner. Based on mitigation options available, consideration will be given to that which results in the least environmental impact, i.e., "do no more harm than good".

6100 Orphan Container Response Options

Because of the variability in habitat and accessibility, each container or accumulations of orphan containers along a debris line might require a unique recovery project using a different assemblage of field equipment. Hazardous Household Waste (HHW) may be recovered by orphaned drum and orphan container recovery teams at sites where field activities are being conducted.

Disposal for the field component of this operation is limited to transferring the material to one of the established disposal staging areas. Final disposal of collected Oil/HAZMAT debris is outside of the scope of this document. As previously stated, all orphan containers that pose a risk to public health and safety will be removed unless the risk for habitat damage exceeds the benefit of removal.

6110 Damaged and Leaking Orphan Container

Container is leaking and there is an observable spill of oil/hazardous material:

- Non-Oil/HAZMAT responders should only function in the First Responder role identify threat, secure area with caution tape, and notify appropriate response team for technical support.
- Secure leak if it can be done safely.
- Mitigate and recover spilled material using appropriate technology and qualified Oil/HAZMAT personnel.
- Remove gross environmental contamination using appropriate technology.
- Recover contents by a transfer to drum or other temporary storage container.
- Recover lightered, partially evacuated, or partially empty container to remove threat of residual Oil/HAZMAT contents.
- Leave lightered, partially evacuated, or partially empty container in place if removal would create unacceptable habitat damage. Ensure the container is properly cleaned, marked and documented if left.

6120 Damaged, Not Leaking Orphan Container

Container is damaged, but not leaking:

- For damaged drums and smaller containers, consider over-packing and removal.
- Recover contents by transfer to a drum or other temporary storage container.
- Recover lightered, partially evacuated, or partially empty container to remove threat of residual Oil/HAZMAT contents.
- Leave lightered, partially evacuated, or partially empty container in place if removal would create unacceptable habitat injury. Ensure the container is properly cleaned, marked and documented if left in the environment.

6130 Undamaged Orphan Container

Container is undamaged and structurally sound:

- Recover the container intact and transport to staging area for disposition if feasible.
- Recover contents by transfer to a drum or other temporary storage container.
- Recover lightered, partially evacuated, or partially empty container to remove threat of residual Oil/HAZMAT contents.

- Leave lightered, partially evacuated, or partially empty container in place if removal would create unacceptable habitat injury.
- Consider leaving container and contents in place if inaccessible or access with heavy equipment would result in unacceptable habitat damage relative to Oil/HAZMAT risk. Ensure the container is properly cleaned, marked and documented if left.

7000 Endpoints for Target Closure

These guidelines establish target endpoints for cleanup operations for pollution targets, including free product release and containerized product. As all releases are unique and present distinct cleanup challenges, these endpoints may be amended to address as yet unforeseen circumstances and do not constitute shoreline restoration or full recovery criteria, which may be addressed through a longer-term process. These endpoints define the conclusion of cleanup operations while attempting to minimize overall impact (including those from operations) to sensitive resources.

The Unified Command recognizes the importance of partnerships with trust resource agencies and the stewardship of the environment. The procedures below are intended to expedite target closure and sign-off process while allowing opportunity for trustee input.

The Operations Section will use their professional judgment to apply the appropriate status (open or closed) to a target in the database. Once a target is set to be closed, that target will be routed to the Environmental Unit via spreadsheet summary for review. The Environmental Unit will determine if concurrence with closed status exists by approved methods. If concurrence does not exist, recommendations for further action will be provided to Operations Section. If concurrence exists, then the database will be updated to reflect change and supporting documentation completed.

The acceptable methods for achieving concurrence on closure status of a target may include administrative decision, aerial inspection or site inspection. The Environmental Unit will use their best professional judgment to determine the risk of a target and an appropriate method for achieving concurrence.

For HAZMAT Targets

- Low risk targets will achieve concurrence by administrative decision, provided collected field observations and data can sufficiently justify concurrence.
- Potentially high risk targets may require aerial inspection or site inspection to achieve concurrence.

For Oil Targets

• Any target that threatened or impacted navigable waters per National Contingency Plan (40CFR300.3), may require an aerial or site inspection to achieve concurrence.

To support proper documentation of the above closure and concurrence process, the database will contain fields to capture such information. "Status" is a field that tracks operational status and is described in Data Management Plan. "Concurrence" is a field that tracks the consensus on target closure between Operations Section, Environmental Unit, Unified Command and supporting resource agencies. An additional field, "Concurrence Comment," will capture any additional

information that will ensure thorough documentation. The following table lists the valid values for "Concurrence" with definitions and examples.

Concurrence	Definition	Example
No Concurrence (No Sign-	UC has determined that	-Operations determines that
off)	clean up endpoints have	cleanup endpoints have been met,
	not been met and	but UC determines otherwise
	additional cleanup is	
	required	
No Further Action (Signed-	UC determines that no	- UC concurs that endpoint has
off)	further action is required	been met for a given target
	and cleanup endpoints	-Orphan container left in place in
	have been met	a satisfactory condition
Referred to Regulatory	UC determines that another	-LDEQ assumes responsibility for
Agency (Signed-off)	agency is better suited to	target
	take responsibility for the	-USFWS, LDWF, LDEQ and/or
	target based on authority	Corps of Engineers
	and jurisdiction and notes	
	agency in comments field.	
	Target responsibility is	
	handed off.	
Unfounded (Signed-off)	Target lacks the minimum	-Unsubstantiated reports
	information to be further	-No lat/long info
	investigated	-No known pollution threat

NOTE: For initialization of "Concurrence" field, each entry will be populated with No Concurrence (Pending) and this will be the default value for new entries.

All targets on graphical representations shall conform to the following convention:

- All targets Open and No Sign-off will be shaded red
- All targets Closed and No Sign-off will be shaded blue
- All targets Closed and Signed-off will be shaded green
- All oil targets will be a circle with a black border and black dot in the centroid
- All HAZMAT targets will be a triangle with a black border and black dot in the centroid

7100 Endpoint Criteria for Free of Oil Product

- Oiled shorelines shall be free of recoverable product and not produce continuous sheen under normal weather and tidal conditions.
- There shall be no recoverable oiled debris.
- Oil stain or sporadic coat on vegetation and large immobile debris that does not produce continuous sheen and is not a contact risk to wildlife may be allowed to weather and degrade naturally. If the Environmental Unit Leader determines that further recovery will not produce environmental benefit, the oil stain or sporadic coat will be left to degrade naturally. Follow-up monitoring of the area must occur.

7200 General Cleanup Endpoint Criteria for Orphan Containers

- An orphan container that poses actual or potential imminent or substantial threat to a navigable waterway will be removed, unless removal will cause undue harm to sensitive resources as is determined under the best professional judgment of the Environmental Unit Leader.
- Leaving an orphan container in place will be decided on a case-by-case basis. Net environmental benefit shall exist and the container shall be properly cleaned and identified, including documented coordinates.
- Responsible Party is identified and assumes responsibility for removal.

7300 Target Closure for Oil Pollution Targets

A joint site visit or an administrative review by Unified Command will be acceptable for Target closure. A joint site visit shall be made by an assessment team consisting of representatives of the Unified Command, natural resource trustees and, when possible, a county representative. Incident-specific cleanup assessment and inspection forms will be generated to track progress. The FOSC and SOSC will sign off each target as having met the endpoints based upon the administrative review or on the observations and recommendations of the assessment team. Sign off on endpoints does not constitute any acknowledgment that damages to natural resources caused by this incident have been adequately addressed.

It is recognized that the above endpoints may not be applicable (or achievable) at all sites. Best professional judgment and the consensus of federal, state and, if applicable, the RP's environmental consultants (identified herein as "Environmental Unit") should be used to assess when the cleanup meets the above objectives. The Environmental Unit Leader for these endpoints will be a representative of the state of Texas or Louisiana. If a responsible party exists for a given target, there may be additional requirements defined by private landowners or municipal managers, and such requirements may be outside the scope of the Unified Command.

8000 Best Management Practices (BMPs)

All operations shall be conducted with the overarching philosophy of "do no more harm than good". Many of the following BMPs are provided for the protection of federal and state protected species and other sensitive resources. For species identification, refer to the "EU Guidance on Threatened/Endangered Species".

Generally, all personnel should:

- Watch for and avoid collisions with wildlife. Report all distressed or dead wildlife to Wildlife Rehab Task Force.
- Report any distressed or dead sea turtles or marine mammals.
- Remove all personal & response trash or anything that would attract wildlife to work areas.

To protect Cultural Resources:

- Any Native American graves or burials must be reported to the State Historic Preservation Office.
- Native American and historic-era artifacts (e.g. pot shards & arrowheads) must not be collected.
- When activity occurs within 250 meters of a sensitive cultural resource as indicated by EU, a qualified archaeologist or other qualified historic preservation professional must be present to monitor the work.

To protect Natural Resources:

- Do not disturb wildlife or habitat (including foraging or nesting areas).
- Report any distressed or dead sea turtles or marine mammals to the stranding networks:
 - Report sea turtles to **1-866-TURTLE-5 (1-866-887-8535)**
 - Report dolphins to **1-877-WHALEHELP** (**1-877-942-5343**)
- Perform site visits & work from waterway, paved surfaces or existing roadways whenever possible to minimize impacts to sensitive habitats.
- Select vehicles and equipment which are least likely to disturb soils/sediments and keep loading to a minimum to reduce ground pressure (on unpaved surfaces).
- Sensitive, non-ecological sites (i.e. cultural, historical, pipelines, water control structures, etc.) must be avoided unless otherwise authorized. EU will identify sensitive sites in the vicinity of actionable targets, though all field personnel should take care when transiting to and from actionable targets.
- Minimize the release of contaminants from orphaned containers into critical habitat and other aquatic areas.
- Removal of orphan pollution containers from sensitive habitats may require specialized operations to minimize impacts. Such operations shall be closely coordinated with Environmental Unit.

For Aerial Operations:

- Avoid hovering or landing aircraft in/near posted bird sites or areas with high bird concentrations.
- No flights below 500 feet over Wildlife Refuges, Management Areas, bird rookeries or National Parks.

For open water operations:

• Do not block major egress points in channels, rivers, passes, and bays.

- Water channels shall be used for navigation through the marshes. Under no circumstances shall vessels run over the top of or across the marsh grasses. Stopping or landing a vessel on top of the marshes is prohibited.
- All vessel approaches to the marshes shall be limited to grounding the bow of the vessel on the fringe of the marsh, avoiding landing directly on top of the marsh grasses as much as possible.
- Special Use Permits are required for conducting Air Boat operations in National Wildlife Refuges. Contact EU to ensure proper permits have been obtained.
- If using Air Boats, maintain a distance of 1,000 feet from critical habitats, rookeries, and/or other high bird use areas to minimize disturbance.
- Monitor boom, lines and underwater equipment regularly to prevent fish/wildlife entanglement/entrapment.
- If a sea turtle or marine mammal is observed trapped or entangled in a boom, line, or anchoring systems, open the boom to free the animal and notify the Wildlife Branch and Environmental Unit.
- Watch for and avoid collisions with sea turtles and dolphins.

For land based operations (includes river levees, battures and spoil banks):

- Minimize ground-disturbing activities to as small an area as feasible to complete the task.
- Avoid posted/marked or other high bird use areas and minimize activities in critical habitat areas for endangered species.
- When working on/near sand beaches, do not disturb piping plovers.

For marsh operations:

- Maximize use of open water, dikes, existing roads and trails and stay away from undisturbed marsh. Access routes should be planned to minimize impacts to the environment.
- Do not create unnatural ruts, channels, dikes or drainage routes and do not re-use previously made tracks.
- Use care around bank and shoreline crossings at canals, natural water bodies and ditches.
- Avoid disturbing vegetation, marsh soils, or peat with foot traffic/boats/equipment.
- Travel corridors should be as narrow as possible with designed turn around area. Stay within designated access or travel lanes when present.
- Minimize removal of clean sediment, seaweed and natural debris. Replace removed materials if practical.
- Use low-pressure tire vehicles (e.g. ATVs, Gators) when practical and consult with the EU to minimize impact.
- Avoid posted/marked or other high bird use areas and minimize activities in critical habitat areas for endangered species.
- Activities that may require removal of forested and shrub or scrub habitat should be minimized.

- Any foot traffic access to the marshes shall avoid oiled grasses and sediments and utilize one-way-in and one-way-out traffic with walking boards in travel lanes and crosswalks on the marsh.
- All foot traffic in oiled marshes will be done on the walking boards, with no direct foot traffic in the marsh. Walking boards should not be placed in un-oiled marsh areas, and no foot traffic or other entry by response personnel or equipment should occur in these un-oiled areas unless approved by the Unified Command.
- If a pollution target location is inaccessible or access with heavy equipment would result in unacceptable habitat damage relative to that posed by the pollution threat, specialized operations may be needed to minimize impacts. Specialized operations shall be closely coordinated with Environmental Unit.
- Water channels shall be used for navigation through the marshes. Under no circumstances shall vessels run over the top of or across the marsh grasses. Stopping or landing a vessel on top of the marshes is prohibited.