



Boat Ramp **26**) Sea Turtle Nesting Natural Collection Points ۵ Coast Guard General Booming Strategy Shore Bird Habitat (Length in Feet) Diving 6~) Spring Incident Command Posts 9 Flatwoods Salamander 0 Sturgeon (S) Staging Areas (н) Heliport 🌔 Water Intake (R) Oil Spill Risk Sites Sector Mobile  $(\mathbf{R})$ High Recreational Beach T Wildlife Refuge E Equipment Storage Locations Manatee Beach or Water Access Locations

GRP - Oil S	pill Sensitive Site	Report for Secto	or: Mobi	le			GRP Map #	MS-15
Name: Biloxi	•	•					Site ID:	MS15-01
Protection Prior	ity (Season): Spri	ng: C Summer:	C Fall:	С	Winter:	С		
	: Municipal and private							
		GEO	SPATIAL IN	FORM				
Latitude (DMS):	30° 23' 31.715"	Longitude (DMS)				Co	unty: Harrison	
Latitude (DD):	30.392143	Longitude (DD):	-88.886141				ision: Harrison County Div	ision 4
ESI Map:	MS-15	ESI Name:	Biloxi, MS					
NOAA Chart USGS Quad:	11373_1 30088-D8	CHART Name QUAD Name:	Biloxi	PISN	ID & APP	ROACHES	DAUPHIN ISL TO CAT ISL	-
	if applicable): City of B		BIIOXI					
•	<b>n:</b> Marinas, casino doc	-						
		. ,	NTACT INFO					
5000	); Mississippi State EOC	228-435-6123; MS D 601-933-6875; Harr	EQ (State E ison County	merge EOC 2	ency Resp 228-865-4	002 or 228	-326-6401; MS DMR (24hr) -323-6420 (Director); NRC 31-4524 or 404-852-5414	
		RESOUR	CES AT RIS		ORMATIO	ON		
Shoreline Type:	Sand Beach, Man mad	e exposed solid struc	cture, rip-rap					
Habitat: Encrus	sting organisms, sand be	each						
	o, Crab, Fish, Wading, D		ssible Gulf S	sturged	on (T) Ra	otors Marii	ne Mammals	
	gered Species: Gulf S	-						
Socio-Economic	c Resources: Casinos	marinas, recreationa	al and comm	ercial I	boats and	l fishing		
			ONSE CONS	SIDER	ATIONS			
Staging Area	Biloxi small craft ha	bor,						
<b>Collection Point</b>	s: on beach along sea	walls						
Area Access:	Vehicle, boat							
Spill Risk:	Bilox Marinas, vess	el traffic						
Response Reso	urces: USCG Gulfport	, possibly on-site at n	narinas					
		PROTECTI	ON STRATE	GY IN	FORMA	TION		
Tidal Range (FT)	): 2	Average Curren	t (KTS): 1			Ease	of Protection: Unknown	
Min. Boom Leng	<b>3th (FT):</b> 1,000	Boom Type: h	ard			Boom	ing Method: Deflection	
Protection Strate	egy: Deflection boom along seawalls.	across channel from	Deer Island	to sea	wall near	marinas. B	est collection points are on	the beach or



GRP - Oil Spill Sensitive Site Report for Sector : Mobile	GRP Map # MS-15
Name: Biloxi Marshes	Site ID: MS15-02
Protection Priority (Season): Spring: A Summer: A Fall: A Wi	nter: A
Site Description: Back bay of Biloxi marshes (salt/brackish)	
GEOSPATIAL INFORMAT	ION
Latitude (DMS): 30° 25' 19.420" Longitude (DMS): 88° 55' 39.242"	County: Harrison
Latitude (DD):         30.422061         Longitude (DD):         -88.927567           ESI Map:         MS-15         ESI Name:         Biloxi, MS	SCAT Division: Harrison County Division 4
	& APPROACHES DAUPHIN ISL TO CAT ISL
USGS Quad: 30088-D8 QUAD Name: Biloxi	
Managed Area (if applicable): Private, Kessler Air Force Base	
General Location: Back bay of Biloxi	
CONTACT INFORMATIC	DN
Contacts: MS DMR (24hr/Preserve Mgr) 228-374-5000; Harrison County EOC 22 EOC 601-933-6875; MS DMR (24hr) 228-374-500074-5000; Keesler A 424-8802; D-8 Duty NOAA SSC (24hr) 206-375-5697; DOI - Regional B	FB (Environmental/Terry James) 228-377-1262; NRC 800-
RESOURCES AT RISK INFOR	MATION
Shoreline Type: Salt/brackish marsh, solid man made structures	
Habitat: Salt/brackish marsh	
Wildlife: Wading birds, Shorebirds, Raptors, Diving birds, waterfowl, crabs, shrimp	
Threaten/Endangered Species: Gulf Salt Marsh Snake, American Alligator	
Socio-Economic Resources: Archaeological sites, recreational fishing, boating	
RESPONSE CONSIDERAT	
Staging Area Keesler AFB, Hiller Park BL, Forest Ave Boat Ramp, I-110 Boa	at Ramp
Collection Points: I-110 boat ramp, Popps Ferry Boat Launch	
Area Access: Vehicle, boat	
Spill Risk: Keesler AFB, vessel traffic	
Response Resources: USCG Gulfport, Keesler AFB, MS-DMR Marine Patrol	
PROTECTION STRATEGY INFO	
Tidal Range (FT): 2       Average Current (KTS): <1	Ease of Protection: Medium
Min. Boom Length (FT): 3,500 Boom Type: hard	Booming Method: Deflection, Protection/Exclusion
<b>Protection Strategy:</b> Place protection/exclusion boom across I-110 Bridge with a north and south side of Big Island with a gate for vessel traf	gate to allow shipping traffic. Also place deflection boom on fic.



GRP - Oil Sp	ill Sensitive Site Ro	eport for Secto	r: Mobile		GRP Map #	MS-15
Name: Biloxi R	liver Coastal Preserv	/e			Site ID:	MS15-03
Protection Priority	y (Season): Spring	J: A Summer:	A Fall: A Winter:	Α		
Site Description:	Salt and brackish mars	h in Big Lake and B	iloxi River			
		GEOS	SPATIAL INFORMATION			
ESI Map: NOAA Chart USGS Quad: 3	30.420476 MS-15 11373_1 30088-D8	Longitude (DMS): Longitude (DD): ESI Name: CHART Name QUAD Name:	-88.979478 Biloxi, MS MISSISSIPPI SND & APP Biloxi		Harrison County Div	
•	applicable): Biloxi Rive	r Coastal Preserve,	private owners			
General Location	: Big Lake					
		COI	NTACT INFORMATION			
(State		) 228-326-6401; NF	000; Harrison County EOC RC 800-424-8802; D-8 Duty 5414			
		RESOUR	CES AT RISK INFORMATI	ON		
Shoreline Type: S	Salt/brackish marsh- Son	ne man made expo	sed & sheltered hardened s	structure		
Habitat: Salt/brad	ckish marsh					
Threaten/Endang	ered Species: Gulf Salt	t Marsh Snake, Am	-	,,,		
		RESPO	ONSE CONSIDERATIONS			
Area Access: Spill Risk:	Popps Ferry Boat Lau North side of Popps F Boat, vehicle vessel traffic (Navy/ba rces: USCG Gulfport, N	erry Bridge arge), Keesler AFB				
		PROTECTIO	ON STRATEGY INFORMA	TION		
Tidal Range (FT):	2	Average Curren	<b>t (KTS):</b> <1	Ease of Pro	tection: Easy	
Min. Boom Lengt	h (FT): N/A	Boom Type: N/	/Α	Booming M	ethod: Containmer	ıt
Protection Strate	gy: Place containment	boom around spill s	source.			



GRP - Oil S	pill Sensitive Site F	Report for Secto	r: Mobile			GRP Map #	MS-15
Name: Least	Terns Nesting Sites	(Along Beachfron	t 15 Apr-15 Au	g)		Site ID:	MS15-04
Protection Prior Site Description		ng: B Summer:	B Fall: B	Winter:	В		
		GEOS	SPATIAL INFORM	MATION			
Latitude (DMS): Latitude (DD): ESI Map: NOAA Chart USGS Quad:	30° 23' 16.437" 30.387899 MS-15 11373_1 30088-D8	Longitude (DMS) Longitude (DD): ESI Name: CHART Name QUAD Name:	-88.988989 Biloxi, MS	ND & APPI	County: H SCAT Division: H ROACHES DAUPH	Harrison County Di	
Managed Area (i	f applicable):						
General Locatio	n:						
		CO	NTACT INFORM	ATION			
6875	DMR (24hr) 228-374-500 5; NRC 800-424-8802; [ 5414						
		RESOUR	CES AT RISK INF	ORMATIC	ON		
Shoreline Type:	Unknown						
Habitat: Expose	ed tidal flats, fine-mediur	n grain sandy beache	es				
Wildlife: Least	Terns, possible Gulf Stur	rgeon (T)					
Threaten/Endan	gorad Spacies:						
Socio-Economic	c Resources:						
				RATIONS			
Staging Area	Biloxi Small Craft ha	irbor					
Collection Point	-						
Area Access:	Boat, Helicopter						
Spill Risk: Response Reso	urces:						
		PROTECTIO	ON STRATEGY I	NFORMAT	TION		

Tidal Range (FT): Min. Boom Length (FT): Average Current (KTS): Boom Type: Ease of Protection: Unknown
Booming Method: No Information Provided

**Protection Strategy:** 



GRP - Oil Spill Staging Area Report for Sector :	Mobile	GRP Map #	<b>MS-15</b>
Facility Name: Keesler Airforce Base		Site ID:	
Data Collector (Agency): State of Mississippi	Survey Type: Response	Survey Date:	2008-01-30 00:00
Managing Agency: U S Airforce Base			
General Manager/Contact Person:			
Contact Phone #:	SCAT Description: Harrison County D	ivision 4	
Physical Address: Ploesti Drive			
City: Biloxi State: Mississippi Zip	Code 39534 County: Harrison		
GEOSP	ATIAL INFORMATION		
Latitude (DMS):30° 25' 2.136" NLongitude (DMS):	88° 55' 27.540" W		
Latitude (DD): 30.41725999 Longitude (DD): -8	38.92431666		
SIT	TE DESCRIPTION		
Site Type: Staging Area; Boat Ramp; Marina	Access: Public		
Operational Status:	Scale of Staging Area:		
Hours of Operation: 24 hours	Days of Operation: 7 days a week		
Water Type: Salt	Water Body Name: Back Bay of Biloxi		
Boat Launch Capability: RAMP - Boats UNDER 25 FT; RAMF	P - Boats OVER 25 FT		
Number of Boat Ramps: 2	Number of Boat Ramp Lanes: 2		
Number of Boat Slips: 30	Number of Moorings: 30		
Boat Ramp Surface Composition: Cement or Asphalt			
Water Depth at End of Boat Ramp: 4 - 6 feet	Wave Energy at Site: Low		
Shoreline Type in Viewable Viscinity: Seawall; Rip-Rap			
Access Constraints: Fenced			
Crane Capabilities: Not suitable for crane			
Collection Point Capabilities:			
Parking Capacity for Trailers: 100	Parking Capacity for Cars: 200		
Parking Lot Dimensions:	Parking Surface: Paved - Concrete or	Asphalt	
Capable for Light or Heavy Equipment and Type:			
Boom Available On-Site and Length:			
	IONAL AMMENITIES		
Fuels Available: Gasoline; Diesel	Propane or Natural Gas Available		
Water Available: Yes	Fire Hydrant:		
Pumpout Available: Pumpout Available	Bathrooms Available: Restroom Facili	ties	
Electricity Amperage Available: 30 Amp Hookup	Camping Facilities:		
Food Available: Food Available (1-5 mi.)	Security Available and Hours On Duty	:	
	ORMATION AND COMMENTS		
Special/Pre-Planned Events and Dates:			
Comments:			

Photo URL:



GRP - Oil Spill Staging Area Report for Sector :	Mobile	GRP Map #	MS-15
Facility Name: Langley Point Boat Ramp		Site ID:	
Data Collector (Agency): State of Mississippi	Survey Type: Planning	Survey Date:	2008-01-30 00:00
Managing Agency: Community Ramp		-	
General Manager/Contact Person:			
Contact Phone #:	SCAT Description: Harrison County D	vivision 4	
Physical Address: Race Track Road			
City: Saint Martin State: Mississippi Zip	Code 39532 County: Jackson		
GEOSI	PATIAL INFORMATION		
Latitude (DMS): 30° 25' 33.756" N Longitude (DMS):	88° 52' 33.738" W		
Latitude (DD): 30.42604333 Longitude (DD):	-88.87603833		
SI	TE DESCRIPTION		
Site Type: Boat Ramp	Access: Public		
Operational Status:	Scale of Staging Area:		
Hours of Operation: 24 hours	Days of Operation: 7 days a week		
Water Type: Salt	Water Body Name: Back Bay of Biloxi		
Boat Launch Capability: Boats Under 25 ft			
Number of Boat Ramps: 1	Number of Boat Ramp Lanes: 1		
Number of Boat Slips: 0	Number of Moorings: 0		
Boat Ramp Surface Composition: Cement or Asphalt			
Water Depth at End of Boat Ramp: 4 - 6 feet	Wave Energy at Site: Low		
Shoreline Type in Viewable Viscinity: Soft Stem Veg.			
Access Constraints: No Access Contraints			
Crane Capabilities: Not suitable for crane			
Collection Point Capabilities:			
Parking Capacity for Trailers: 0	Parking Capacity for Cars: 0		
Parking Lot Dimensions:	Parking Surface: Paved - Concrete or	r Asphalt; Dirt/Gra	vel; Grass
Capable for Light or Heavy Equipment and Type:			
Boom Available On-Site and Length:			
	TIONAL AMMENITIES		
Fuels Available: No Fuel	Propane or Natural Gas Available		
Water Available: No Water	Fire Hydrant:		
Pumpout Available: No Pumpout	Bathrooms Available: No Restrooms		
Electricity Amperage Available: No Electricity Available Food Available: Food Available (1-5 mi.)	Camping Facilities:		
	Security Available and Hours On Duty ORMATION AND COMMENTS	/ <b>.</b>	
Special/Pre-Planned Events and Dates:	ORMATION AND COMMENTS		
Specialitie rialiteu Events allu Dates.			

Photo URL:



GRP - Oil Spill Staging Area Report for Sector :	Mobile	GRP Map #	MS-15
Facility Name: St Martin Bayou Boat Ramp		Site ID:	
Data Collector (Agency): State of Mississippi	Survey Type: Planning	Survey Date:	2008-01-30 00:00
Managing Agency: Jackson County		-	
General Manager/Contact Person:			
Contact Phone #:	SCAT Description: Harrison County D	ivision 4	
Physical Address: Brittany Ave			
City: St Martin State: Mississippi Zip	Code 39532 County: Jackson		
GEOS	PATIAL INFORMATION		
Latitude (DMS): 30° 26' 0.744" N Longitude (DMS):	88° 52' 50.142" W		
Latitude (DD):30.43354000Longitude (DD):	-88.88059499		
Si	TE DESCRIPTION		
Site Type: Staging Area; Boat Ramp	Access: Public		
Operational Status:	Scale of Staging Area:		
Hours of Operation: 24 hours	Days of Operation: 7 days a week		
Water Type: Salt	Water Body Name: Back Bay of Biloxi		
Boat Launch Capability: RAMP - Boats UNDER 25 FT; RAM	P - Boats OVER 25 FT		
Number of Boat Ramps: 1	Number of Boat Ramp Lanes: 1		
Number of Boat Slips: 0	Number of Moorings: 0		
Boat Ramp Surface Composition: Cement or Asphalt			
Water Depth at End of Boat Ramp: 6 - 8 feet	Wave Energy at Site: Low		
Shoreline Type in Viewable Viscinity: Soft Stem Veg.			
Access Constraints: No Access Contraints			
Crane Capabilities: Not suitable for crane			
Collection Point Capabilities:			
Parking Capacity for Trailers: 20	Parking Capacity for Cars: 60		
Parking Lot Dimensions:	Parking Surface: Paved - Concrete or	r Asphalt; Dirt/Grav	vel; Grass
Capable for Light or Heavy Equipment and Type:			
Boom Available On-Site and Length:			
Fuels Available: No Fuel	Propane or Natural Gas Available		
Water Available: No Water	Fire Hydrant:		
Pumpout Available: No Pumpout	Bathrooms Available: No Restrooms		
Electricity Amperage Available: No Electricity Available	Camping Facilities:	_	
Food Available: Food Available (1-5 mi.)	Security Available and Hours On Duty	/:	
	ORMATION AND COMMENTS		
Special/Pre-Planned Events and Dates:			

Photo URL:



GRP - Oil Spill Staging Area Report for Sector :	Mobile	GRP Map #	MS-15
Facility Name: Beach Bayou		Site ID:	
Data Collector (Agency): State of Mississippi	Survey Type: Planning	Survey Date:	2008-01-30 00:00
Managing Agency: Jackson County			
General Manager/Contact Person:			
Contact Phone #:	SCAT Description: Harrison County D	ivision 4	
Physical Address: 16212 Race Track Rd			
City: Biloxi State: Mississippi Zip	Code 39532 County: Jackson		
GEOSF	PATIAL INFORMATION		
Latitude (DMS): 30° 25' 36.702" N Longitude (DMS):	88° 52' 58.314" W		
Latitude (DD): 30.42686166 Longitude (DD): -	88.88286499		
Sľ	TE DESCRIPTION		
Site Type: Boat Ramp	Access: Public		
Operational Status:	Scale of Staging Area:		
Hours of Operation: 24 hours	Days of Operation: 7 days a week		
Water Type: Salt	Water Body Name: Back Bay of Biloxi		
Boat Launch Capability: Boats Under 25 ft			
Number of Boat Ramps: 1	Number of Boat Ramp Lanes: 1		
Number of Boat Slips: 0	Number of Moorings: 0		
Boat Ramp Surface Composition: Gravel/Dirt			
Water Depth at End of Boat Ramp: 4 - 6 feet	Wave Energy at Site: Low		
Shoreline Type in Viewable Viscinity: Soft Stem Veg.			
Access Constraints: No Access Contraints			
Crane Capabilities: Not suitable for crane			
Collection Point Capabilities:			
Parking Capacity for Trailers: 10	Parking Capacity for Cars: 10		
Parking Lot Dimensions:	Parking Surface: Paved - Concrete or	Asphalt; Dirt/Gra	vel
Capable for Light or Heavy Equipment and Type:			
Boom Available On-Site and Length:			
Fuels Available: No Fuel	Propane or Natural Gas Available		
Water Available: No Water	Fire Hydrant:		
Pumpout Available: No Pumpout	Bathrooms Available: No Restrooms		
Electricity Amperage Available: No Electricity Available	Camping Facilities:		
Food Available: Food Available (1-5 mi.)	Security Available and Hours On Duty	:	
	ORMATION AND COMMENTS		
Special/Pre-Planned Events and Dates:			
Comments:			

Photo URL:



GRP - Oil Spill Staging Area Report for Sector :	Mobile	GRP Map #	MS-15
Facility Name: I-110 Boat Ramp		Site ID:	
Data Collector (Agency): State of Mississippi	Survey Type: Planning	Survey Date:	2008-01-30 00:00
Managing Agency: city of d'iberville		-	
General Manager/Contact Person:			
Contact Phone #:	SCAT Description: Harrison County D	ivision 4	
Physical Address: Bay Shore Drive			
City: D'Iberville State: Mississippi Zi	County: Harrison		
GEOS	PATIAL INFORMATION		
Latitude (DMS): 30° 25' 29.112" N Longitude (DMS)	: 88° 53' 39.660" W		
Latitude (DD): 30.42475333 Longitude (DD):	-88.89435000		
S	ITE DESCRIPTION		
Site Type: Staging Area; Boat Ramp; Marina	Access: Public		
Operational Status:	Scale of Staging Area:		
Hours of Operation: 24 hours	Days of Operation: 7 days a week		
Water Type: Salt	Water Body Name: Back Bay of Biloxi		
Boat Launch Capability: RAMP - Boats OVER 25 FT			
Number of Boat Ramps: 3	Number of Boat Ramp Lanes: 4		
Number of Boat Slips: 30	Number of Moorings: 8		
Boat Ramp Surface Composition: Cement or Asphalt			
Water Depth at End of Boat Ramp: 8 - 10 feet	Wave Energy at Site: Low		
Shoreline Type in Viewable Viscinity: Seawall; Rip-Rap			
Access Constraints: No Access Contraints			
Crane Capabilities: Not suitable for crane			
Collection Point Capabilities:			
Parking Capacity for Trailers: 15	Parking Capacity for Cars: 20		
Parking Lot Dimensions:	Parking Surface: Paved - Concrete o	r Asphalt	
Capable for Light or Heavy Equipment and Type:			
Boom Available On-Site and Length:			
ADD	ITIONAL AMMENITIES		
Fuels Available: No Fuel	Propane or Natural Gas Available		
Water Available: No Water	Fire Hydrant:		
Pumpout Available: No Pumpout	Bathrooms Available: Port-a-Pottie		
Electricity Amperage Available: No Electricity Available	Camping Facilities:		
Food Available: Food Available (1-5 mi.)	Security Available and Hours On Duty	/:	
GENERAL IN	FORMATION AND COMMENTS		
Special/Pre-Planned Events and Dates:			
Comments:			

Photo URL:



GRP - Oil Spill Staging Area Report for Sector :	Mobile	GRP Map #	MS-15
Facility Name: Parker's Creek Boat Launch		Site ID:	
Data Collector (Agency): State of Mississippi	Survey Type: Response	Survey Date:	2008-01-30 00:00
Managing Agency: Unknown			
General Manager/Contact Person:			
Contact Phone #:	SCAT Description: NA		
Physical Address: East Oaklawn Road			
City: Biloxi State: Mississippi Zig	Code 39532 County: Harrison		
GEOS	PATIAL INFORMATION		
Latitude (DMS): 30° 27' 35.034" N Longitude (DMS):	: 88° 57' 56.328" W		
Latitude (DD):30.45973166Longitude (DD):	-88.96564666		
S	ITE DESCRIPTION		
Site Type: Staging Area; Boat Ramp	Access: Public		
Operational Status:	Scale of Staging Area:		
Hours of Operation: 24 hours	Days of Operation: 7 days a week		
Water Type: Salt	Water Body Name: Panther Creek		
Boat Launch Capability: RAMP - Boats UNDER 25 FT; RAM	IP - Boats OVER 25 FT		
Number of Boat Ramps: 1	Number of Boat Ramp Lanes: 1		
Number of Boat Slips: 0	Number of Moorings: 0		
Boat Ramp Surface Composition: Cement or Asphalt			
Water Depth at End of Boat Ramp: 4 - 6 feet	Wave Energy at Site: Low		
Shoreline Type in Viewable Viscinity: Soft Stem Veg.; Hard	Stem Veg.		
Access Constraints: No Access Contraints			
Crane Capabilities: Not suitable for crane			
Collection Point Capabilities:			
Parking Capacity for Trailers: 5	Parking Capacity for Cars: 10		
Parking Lot Dimensions:	Parking Surface: Paved - Concrete o	r Asphalt	
Capable for Light or Heavy Equipment and Type:			
Boom Available On-Site and Length:			
Fuels Available: No Fuel	Propane or Natural Gas Available		
Water Available: No Water	Fire Hydrant:		
Pumpout Available: No Pumpout	Bathrooms Available: No Restrooms		
Electricity Amperage Available: No Electricity Available	Camping Facilities:		
Food Available: Food Available (1-5 mi.)	Security Available and Hours On Duty	/:	
	FORMATION AND COMMENTS		
Special/Pre-Planned Events and Dates:			

Photo URL:



CDD Oil Smill Storing Area Depart for Ocatory	Mehile		MC 45
GRP - Oil Spill Staging Area Report for Sector :	Mobile	GRP Map #	MS-15
Facility Name: Cedar Lake Boat Launch		Site ID:	
Data Collector (Agency): State of Mississippi	Survey Type: Response	Survey Date:	2008-01-30 00:00
Managing Agency: Lil Joe's Fish Camp			
General Manager/Contact Person:			
Contact Phone #:	SCAT Description: NA		
Physical Address: Cedar Lake Road			
City: Biloxi State: Mississippi Zip	Code 39532 County: Harrison		
GEOS	PATIAL INFORMATION		
Latitude (DMS): 30° 27' 32.226" N Longitude (DMS):	88° 56' 19.422" W		
Latitude (DD):30.45895166Longitude (DD):	-88.93872833		
S	ITE DESCRIPTION		
Site Type: Staging Area; Boat Ramp	Access: Private		
Operational Status:	Scale of Staging Area:		
Hours of Operation: 24 hours	Days of Operation: 7 days a week		
Water Type: Fresh	Water Body Name: Tchoutacabouffa F	River	
Boat Launch Capability: Boats Under 25 ft			
Number of Boat Ramps: 1	Number of Boat Ramp Lanes: 1		
Number of Boat Slips: 0	Number of Moorings: 0		
Boat Ramp Surface Composition: Cement or Asphalt			
Water Depth at End of Boat Ramp: 4 - 6 feet	Wave Energy at Site: Low		
Shoreline Type in Viewable Viscinity: Rip-Rap; Soft Stem V	eg.; Hard Stem Veg.		
Access Constraints: No Access Contraints			
Crane Capabilities: Not suitable for crane			
Collection Point Capabilities:			
Parking Capacity for Trailers: 10	Parking Capacity for Cars: 10		
Parking Lot Dimensions:	Parking Surface: Paved - Concrete of	r Asphalt	
Capable for Light or Heavy Equipment and Type:			
Boom Available On-Site and Length:			
ADDI	TIONAL AMMENITIES		
Fuels Available: No Fuel	Propane or Natural Gas Available		
Water Available: No Water	Fire Hydrant:		
Pumpout Available: No Pumpout	Bathrooms Available: No Restrooms		
Electricity Amperage Available: No Electricity Available	Camping Facilities:		
Food Available: Food Available (1-5 mi.)	Security Available and Hours On Duty	/:	
GENERAL INI	FORMATION AND COMMENTS		
Special/Pre-Planned Events and Dates:			
Comments:			

Photo URL:



GRP - Oil Spill Staging Area Report for Sector :	Mobile	GRP Map #	MS-15
Facility Name: Popps Ferry Boat Launch		Site ID:	
Data Collector (Agency): State of Mississippi	Survey Type: Response	Survey Date:	2008-01-30 00:00
Managing Agency: Popps Ferry			
General Manager/Contact Person:			
Contact Phone #:	SCAT Description: Harrison County D	vivision 3	
Physical Address: Popps Ferry Road			
City: Biloxi State: Mississippi Zip	Code 39532 County: Harrison		
GEOS	PATIAL INFORMATION		
Latitude (DMS): 30° 24' 51.174" N Longitude (DMS):	88° 58' 32.466" W		
Latitude (DD):30.41421500Longitude (DD):	-88.97568499		
S	ITE DESCRIPTION		
Site Type: Staging Area; Boat Ramp	Access: Private		
Operational Status:	Scale of Staging Area:		
Hours of Operation: 24 hours	Days of Operation: 7 days a week		
Water Type: Salt	Water Body Name: Big Lake		
Boat Launch Capability: RAMP - Boats UNDER 25 FT; RAM	IP - Boats OVER 25 FT		
Number of Boat Ramps: 1	Number of Boat Ramp Lanes: 1		
Number of Boat Slips: 0	Number of Moorings: 0		
Boat Ramp Surface Composition: Cement or Asphalt			
Water Depth at End of Boat Ramp: 4 - 6 feet	Wave Energy at Site: Low		
Shoreline Type in Viewable Viscinity: Seawall			
Access Constraints: No Access Contraints			
Crane Capabilities: Not suitable for crane			
Collection Point Capabilities:			
Parking Capacity for Trailers: 5	Parking Capacity for Cars: 15		
Parking Lot Dimensions:	Parking Surface: Paved - Concrete o	r Asphalt	
Capable for Light or Heavy Equipment and Type:			
Boom Available On-Site and Length:			
ADDI	TIONAL AMMENITIES		
Fuels Available: No Fuel	Propane or Natural Gas Available		
Water Available: No Water	Fire Hydrant:		
Pumpout Available: No Pumpout	Bathrooms Available: No Restrooms		
Electricity Amperage Available: No Electricity Available	Camping Facilities:		
Food Available: Food Available (1-5 mi.)	Security Available and Hours On Duty	/:	
GENERAL INI	FORMATION AND COMMENTS		
Special/Pre-Planned Events and Dates:			
Comments:			

Photo URL:



GRP - Oil Spill Staging Area Report for Sector :	Mobile	GRP Map #	MS-15
Facility Name: Hiller Park		Site ID:	
Data Collector (Agency): State of Mississippi Managing Agency: HarrisonCounty General Manager/Contact Person:	Survey Type: Response	Survey Date:	2008-01-30 00:00
Contact Phone #: 228-435-6281	SCAT Description: Harrison County D	ivision 3	
Physical Address: 380 Hiller Drive			
•	Code 39531 County: Harrison		
	PATIAL INFORMATION		
Latitude (DMS): 30° 24' 38.328" N Longitude (DMS)	: 88° 57' 15.114" W		
Latitude (DD): 30.41064666 Longitude (DD):	-88.95419833		
	ITE DESCRIPTION		
Site Type: Staging Area; Boat Ramp	Access: Public		
Operational Status:	Scale of Staging Area:		
Hours of Operation: Sunrise to Sunset	Days of Operation: 7 days a week		
Water Type: Salt	Water Body Name: Back Bay of Biloxi		
Boat Launch Capability: RAMP - Boats UNDER 25 FT; RAM	IP - Boats OVER 25 FT		
Number of Boat Ramps: 1	Number of Boat Ramp Lanes: 1		
Number of Boat Slips: 0	Number of Moorings: 0		
Boat Ramp Surface Composition: Cement or Asphalt			
Water Depth at End of Boat Ramp: 4 - 6 feet	Wave Energy at Site: Low		
Shoreline Type in Viewable Viscinity: Soft Stem Veg.			
Access Constraints: No Access Contraints			
Crane Capabilities: Not suitable for crane			
Collection Point Capabilities:			
Parking Capacity for Trailers: 15	Parking Capacity for Cars: 8		
Parking Lot Dimensions:	Parking Surface: Paved - Concrete or	Asphalt	
Capable for Light or Heavy Equipment and Type:			
Boom Available On-Site and Length:			
Fuels Available: No Fuel	TIONAL AMMENITIES Propane or Natural Gas Available		
Water Available: Yes	Fire Hydrant:		
Pumpout Available: No Pumpout	Bathrooms Available: Restroom Facili	ties	
Electricity Amperage Available: No Electricity Available	Camping Facilities:		
Food Available: Food Available (1-5 mi.)	Security Available and Hours On Duty	-	
	FORMATION AND COMMENTS		
Special/Pre-Planned Events and Dates:			
Comments:			

Photo URL:



GRP - Oil Spill Staging Area Report for Sector :	Mobile	GRP Map #	MS-15	
Facility Name: Biloxi Small Craft Harbor		Site ID:		
Data Collector (Agency): FWC-FWRI	Survey Type: Planning	Survey Date:	2008-01-29 00:00	
Managing Agency: City of Biloxi				
General Manager/Contact Person:				
Contact Phone #: 228-436-4062	SCAT Description: Harrison County D	ivision 4		
Physical Address: 679 Beach Boulevard				
City: Biloxi State: Mississippi Zip	Code 39530 County: Harrison			
GEOSP	ATIAL INFORMATION			
Latitude (DMS): 30° 23' 32.592" N Longitude (DMS):	88° 53' 1.764" W			
Latitude (DD): 30.39238666 Longitude (DD): -8	38.88382333			
SIT	E DESCRIPTION			
Site Type: Staging Area; Boat Ramp; Marina	Access: Public			
Operational Status:	Scale of Staging Area:			
Hours of Operation: 24 hours	Days of Operation: 7 days a week			
Water Type: Salt	Water Body Name: Mississippi Sound			
Boat Launch Capability: RAMP - Boats UNDER 25 FT; RAMF	P - Boats OVER 25 FT			
Number of Boat Ramps: 1	Number of Boat Ramp Lanes: 2			
Number of Boat Slips: 200	Number of Moorings: 0			
Boat Ramp Surface Composition: Cement or Asphalt				
Water Depth at End of Boat Ramp: 8 - 10 feet	Wave Energy at Site: Low			
Shoreline Type in Viewable Viscinity: Seawall				
Access Constraints: No Access Contraints				
Crane Capabilities: Suitable for small crane; Suitable for large	crane			
Collection Point Capabilities:				
Parking Capacity for Trailers: 100	Parking Capacity for Cars: 100			
Parking Lot Dimensions:	Parking Surface: Paved - Concrete or	Asphalt		
Capable for Light or Heavy Equipment and Type:				
Boom Available On-Site and Length:				
ADDITIONAL AMMENITIES				
Fuels Available: Gasoline; Diesel	Propane or Natural Gas Available			
Water Available: Yes	Fire Hydrant: Yes	tion		
Pumpout Available: Pumpout Available	Bathrooms Available: Restroom Facili	ues		
Electricity Amperage Available: 120 V Standard 15 Amp; 30	Camping Facilities:			
Food Available: Food Available (1-5 mi.)	Security Available and Hours On Duty	•		
GENERAL INFORMATION AND COMMENTS Special/Pre-Planned Events and Dates:				
Special/Pre-Planned Events and Dates:				

Photo URL:



GRP - Oil Spill Staging Area Report for Sector :	Mobile	GRP Map # MS-15		
Facility Name: Lee Street Boat Ramp		Site ID:		
Data Collector (Agency): FWC-FWRI	Survey Type: Planning	Survey Date: 2008-01-29 00:0		
Managing Agency: City of Biloxi		•		
General Manager/Contact Person:				
Contact Phone #:	SCAT Description: Harrison County D	vivision 4		
Physical Address: Lee Street at Bayview				
City: Biloxi State: Mississippi Zip	Code 39530 County: Harrison			
GEOSI	PATIAL INFORMATION			
Latitude (DMS): 30° 24' 39.186" N Longitude (DMS):	88° 52' 44.562" W			
Latitude (DD): 30.41088499 Longitude (DD):	88.87904500			
SI	TE DESCRIPTION			
Site Type: Staging Area; Boat Ramp	Access: Public			
Operational Status:	Scale of Staging Area:			
Hours of Operation: 24 hours	Days of Operation: 7 days a week			
Water Type: Salt	Water Body Name: Back Bay of Biloxi			
Boat Launch Capability: RAMP - Boats UNDER 25 FT; RAM	P - Boats OVER 25 FT			
Number of Boat Ramps: 2	Number of Boat Ramp Lanes: 2			
Number of Boat Slips: 0	Number of Moorings: 0			
Boat Ramp Surface Composition: Cement or Asphalt				
Water Depth at End of Boat Ramp: 6 - 8 feet	Wave Energy at Site: Low			
Shoreline Type in Viewable Viscinity: Seawall				
Access Constraints: No Access Contraints				
Crane Capabilities: Suitable for small crane				
Collection Point Capabilities:				
Parking Capacity for Trailers: 50	Parking Capacity for Cars: 50			
Parking Lot Dimensions:	Parking Surface: Paved - Concrete of	r Asphalt; Dirt/Gravel; Grass		
Capable for Light or Heavy Equipment and Type:				
Boom Available On-Site and Length:				
Fuels Available: No Fuel	Propane or Natural Gas Available			
Water Available: No	Fire Hydrant: Yes			
Pumpout Available: No Pumpout	Bathrooms Available: Port-a-Pottie			
Electricity Amperage Available: No Electricity Available	Camping Facilities:			
Food Available: Food Available (1-5 mi.)	Security Available and Hours On Duty	۲ <b>.</b> 		
GENERAL INFORMATION AND COMMENTS Special/Pre-Planned Events and Dates:				
Specialite Flattien Events alle Dates.				

Photo URL:



GRP - Oil Spill Staging Area Report for Sector :	Mobile	GRP Map #	MS-15	
Facility Name: Forrest Ave Boat Ramp		Site ID:		
Data Collector (Agency): State of Mississippi	Survey Type: Planning	Survey Date:	2008-01-28 00:00	
Managing Agency:		-		
General Manager/Contact Person:				
Contact Phone #:	SCAT Description: Harrison County D	0 Jivision 4		
Physical Address: Bayview Ave				
City: Biloxi State: Mississippi Zi	County: Harrison			
GEOS	PATIAL INFORMATION			
Latitude (DMS): 30° 24' 42.132" N Longitude (DMS)	: 88° 54' 14.778" W			
Latitude (DD): 30.41170333 Longitude (DD):	-88.90410499			
S	ITE DESCRIPTION			
Site Type: Staging Area; Boat Ramp	Access: Public			
Operational Status:	Scale of Staging Area:			
Hours of Operation: 24 hours	Days of Operation: 7 days a week			
Water Type: Salt	Water Body Name: Back Bay of Biloxi			
Boat Launch Capability: Boats Under 25 ft				
Number of Boat Ramps: 2	Number of Boat Ramp Lanes: 4			
Number of Boat Slips: 0	Number of Moorings: 0			
Boat Ramp Surface Composition: Cement or Asphalt				
Water Depth at End of Boat Ramp: 4 - 6 feet	Wave Energy at Site: Medium			
Shoreline Type in Viewable Viscinity: Seawall; Soft Stem V	eg.; Tidal Marsh			
Access Constraints: No Access Contraints				
Crane Capabilities: Suitable for large crane				
Collection Point Capabilities:				
Parking Capacity for Trailers: 5	Parking Capacity for Cars: 5			
Parking Lot Dimensions:	Parking Surface: Paved - Concrete of	r Asphalt; Dirt/Gra	avel; Grass	
Capable for Light or Heavy Equipment and Type:				
Boom Available On-Site and Length:				
ADDITIONAL AMMENITIES				
Fuels Available: No Fuel	Propane or Natural Gas Available			
Water Available: N/A	Fire Hydrant:			
Pumpout Available: No Pumpout	Bathrooms Available: No Restrooms			
Electricity Amperage Available: No Electricity Available	Camping Facilities:			
Food Available: Food Available (1-5 mi.)	Security Available and Hours On Duty	/:		
GENERAL INFORMATION AND COMMENTS				
Special/Pre-Planned Events and Dates:				

Photo URL:

