Geographic Response Plan Map: WFL-19 86°30'0"W 86°22'30"W Map Continued on Page: WFL-17N Eglin Air Force Base 285 (F) 85 WFL19-02 Juniper Creek WFL19-01 (75) Rocky Bayou S State Park & Fred Gannon Valparaiso Rocky Bayou Sarah Ann WFL19-03 Bayou State Park Rocky Bayou Tom's State Park Bavou Aquatic Preserve 86°30'0"W Map Continued on Page: WFL-18 86°22'30"W **Environmentally Sensitive Areas** Bio-Socioeconomic Sea Turtle Nesting Beach Marina Federal Managed Areas **Summer Protection Priority** Airport NERR State Managed Areas A - Protect First Aquaculture Aquaculture/Oysters National Park ♦ B - Protect after A Areas 3 State Waters/County Line Aquatic Preserve/State Park C - Protect after B Areas Naval Base USCG Sector Boundary Sector Mobile Fish and Wildlife Artificial Reef/Hardbottom Response Methods Panama City Crayfish Area Committee Research Institute Skimmer Beach Mouse Habitat Power Plant 0.5 1.5 Shallow Water Skimmer Black Bear Habitat Reptile Habitat of Concern Miles Collection Point Boat Ramp Sea Turtle Nesting Natural Collection Points Coast Guard General Booming Strategy Shore Bird Habitat (Length in Feet) Diving Spring Incident Command Posts Flatwoods Salamander Sturgeon S Staging Areas Water Intake R Oil Spill Risk Sites **Sector Mobile** High Recreational Beach Wildlife Refuge E Equipment Storage Locations Manatee Beach or Water Access

GRP - Oil Spill Sensitive Site Report for Sector: Mobile GRP Map # WFL-19

Name: Rocky Bayou State Park & Sarah Ann Bayou Site ID: WFL19-01

Protection Priority (Season): Spring: A Summer: A Fall: A Winter: A

Site Description: Salt, brackish marsh and exposed marsh

GEOSPATIAL INFORMATION

Latitude (DMS): 30° 30′ 12.711″ **Longitude (DMS):** 86° 25′ 40.814″ **County:** Okaloosa

Latitude (DD): 30.503531 Longitude (DD): -86.428004 SCAT Division: Okaloosa County Division 2

ESI Map: WFL-19 **ESI Name:** Niceville, Fla.

NOAA Chart 11388 1 CHART Name CHOCTAWHATCHEE BAY

USGS Quad: 30086-E4 QUAD Name: Niceville

Managed Area (if applicable): Northwest Florida Preserves Office, FDEP (850) 983-5359

General Location: Destin Division of Sector, City of Niceville

CONTACT INFORMATION

Contacts: Okaloosa County EOC 850-651-7150; Fred Gannon Rocky Bayou State Park (Manager) 850-833-9144; NRC 800-424-8802; FL

State Watch Office 800-320-0519; FWC Non-Game Biologist 850-265-3676; DEP-OER 850-595-8300; D-8 Duty NOAA SSC

(24hr) 206-375-5697; DOI - Regional Environmental Officer 404-331-4524 or 404-852-5414

RESOURCES AT RISK INFORMATION

Shoreline Type: Exposed and sheltered salt marshes, exposed tidal flats, fine grained sand beach, seawalls

Habitat: Sheltered marshes, submerged aquatic vegetation - Florida outstanding water and it is a State Aquatic Preserve, bogs

Wildlife: Blue and Stone Crab, Pink, White, & Brown Shrimp, Eastern Oyster, Seagrass, Bald Eagle (T)

Threaten/Endangered Species: Bald Eagle (T)

Socio-Economic Resources: Recreation, ecotourism, state recreation area, archeological sites and cultural resources

RESPONSE CONSIDERATIONS

Staging Area Rocky bayou State Park, Edrehi Boat Ramp (secondary), Bluewater Bay Marina

Collection Points: Shallow water skimmers

Area Access: Boat, vehicle

Spill Risk: Citgo Fuel Terminal (1 million gallons)

Response Resources:

PROTECTION STRATEGY INFORMATION

Tidal Range (FT): Average Current (KTS): Ease of Protection: Unknown

Min. Boom Length (FT): 4,000 Boom Type: Hard Booming Method: Protection/Exclusion

Protection Strategy: Boom Rocky Bayou Bridge for protection. See Boggy Bayou for protection strategy. Use chevron configuration to allow

boating access.

GRP - Oil Spill Sensitive Site Report for Sector : Mobile GRP Map # WFL-19

Name: Juniper Creek Site ID: WFL19-02

Protection Priority (Season): Spring: B Summer: B Fall: B Winter: B

Site Description: Salt/brackish marsh

GEOSPATIAL INFORMATION

Latitude (DMS): 30° 31′ 25.875" **Longitude (DMS):** 86° 29′ 56.404" **County:** Okaloosa

Latitude (DD): 30.523854 Longitude (DD): -86.499001 SCAT Division: Okaloosa County Division 2

ESI Map: WFL-19 **ESI Name:** Niceville, Fla.

NOAA Chart 11388 1 CHART Name CHOCTAWHATCHEE BAY

USGS Quad: 30086-E4 QUAD Name: Niceville

Managed Area (if applicable):

General Location: Destin Division of Sector, Niceville

CONTACT INFORMATION

Contacts: Okaloosa County EOC 850-651-7150; Eglin Air Force Base (Spill Response Mgr) 850-240-1628; NRC 800-424-8802; FL State

Watch Office 800-320-0519; FWC Non-Game Biologist 850-265-3676; DEP-OER 850-595-8300; D-8 Duty NOAA SSC (24hr) 206-

375-5697; DOI - Regional Environmental Officer 404-331-4524 or 404-852-5414

RESOURCES AT RISK INFORMATION

Shoreline Type: Inland Hardwood swamps.

Habitat: Marsh

Wildlife: Bald Eagle (T), Birds, Juvenile Fish, Diamondback Terrapins

Threaten/Endangered Species:

Socio-Economic Resources:

RESPONSE CONSIDERATIONS

Staging Area Twin Cities Park

Collection Points:

Area Access: Vehicle (4WD)

Spill Risk: Citgo Fuel Terminal (1 million gallons), Eglin AFB

Response Resources: Eglin AFB, USCG Destin

PROTECTION STRATEGY INFORMATION

Tidal Range (FT): Average Current (KTS): 1 Ease of Protection: Easy

Min. Boom Length (FT): 100 Boom Type: Hard Booming Method: Protection/Exclusion

Protection Strategy: If necessary, boom mouth of Juniper Creek.



GRP - Oil Spill Sensitive Site Report for Sector : Mobile GRP Map # WFL-19

Name: Tom's Bayou Site ID: WFL19-03

Protection Priority (Season): Spring: A Summer: A Fall: A Winter: A

Site Description:

GEOSPATIAL INFORMATION

Latitude (DMS): 30° 30′ 9.712″ N **Longitude (DMS):** 86° 29′ 37.820″ **County:** Okaloosa

Latitude (DD): 30.502698 Longitude (DD): -86.493839 SCAT Division: Okaloosa County Division 2

ESI Map: WFL-19 **ESI Name:** Niceville, Fla.

NOAA Chart 11388_1 CHART Name CHOCTAWHATCHEE BAY

USGS Quad: 30086-E4 QUAD Name: Niceville

Managed Area (if applicable):

General Location: Destin Division of Sector

CONTACT INFORMATION

Contacts: Okaloosa County EOC 850-651-7150; FWC Law Enforcement 850-595-8905 or 808-444-2322 or (Tallahassee Dispatch) 850-595-

8980; Eglin Air Force Base (Spill Response Mgr) 850-240-1628; NRC 800-424-8802; FL State Watch Office 800-320-0519; FWC Non-Game Biologist 850-265-3676; DEP-OER 850-595-8300; D-8 Duty NOAA SSC (24hr) 206-375-5697; DOI - Regional

Environmental Officer 404-331-4524 or 404-852-5414

RESOURCES AT RISK INFORMATION

Shoreline Type: Exposed marshes, fine grained sand beach, seawalls

Habitat: Exposed marshes

Wildlife: Blue and Stone Crab, Pink, White, & Brown Shrimp, Eastern Oyster, Seagrass, Bald Eagle (T)

Threaten/Endangered Species: Bald Eagle (T)

Socio-Economic Resources:

RESPONSE CONSIDERATIONS

Staging Area Florida Park Boat Ramp, Lincoln Park Boat Ramp

Collection Points:

Area Access: Boat, vehicle

Spill Risk:

Response Resources:

PROTECTION STRATEGY INFORMATION

Tidal Range (FT): Average Current (KTS): Ease of Protection: Unknown

Min. Boom Length (FT): Boom Type: Booming Method: Protection/Exclusion

Protection Strategy: Barrier boom across mouth of bayou.



Facility Name: Lions Park Site ID: OL00085IF

Data Collector (Agency): FWC-FWRI Survey Type: Planning Survey Date: 2008-03-14 00:00

Managing Agency: City of Niceville
General Manager/Contact Person:

Contact Phone #: 850-729-4062 SCAT Description: Okaloosa County Division 2

Physical Address: ~ 950 Bayshore Drive

City: Niceville State: Florida Zip Code 32578 County: Okaloosa

GEOSPATIAL INFORMATION

Latitude (DMS): 30° 30′ 39.000″ N Longitude (DMS): 86° 28′ 51.874″ W Latitude (DD): 30.51083328 Longitude (DD): -86.48107620

SITE DESCRIPTION

Site Type: Staging Area; Boat Ramp Access: Government Owned for General Public Use

Operational Status: Open For Business Scale of Staging Area:

Hours of Operation: 24 Hours Days of Operation: 7 days a week

Water Type: Saltwater Water Body Name: Boggy Bayou / Choctawhatchee Bay

Boat Launch Capability: RAMP - Boats UNDER 25 FT; RAMP - Boats OVER 25 FT

Number of Boat Ramps: 2 Number of Boat Ramp Lanes: 2

Number of Boat Slips: 0 Number of Moorings: 1

Boat Ramp Surface Composition: Poured in place concrete

Water Depth at End of Boat Ramp: 4 - 6 feet Wave Energy at Site: Low

Shoreline Type in Viewable Viscinity: Seawall; Soft Sand; Soft Stem Veg.

Access Constraints: No Access Contraints

Crane Capabilities: Not suitable for crane

Collection Point Capabilities:

Parking Capacity for Trailers: 9 Parking Capacity for Cars: 5
Parking Lot Dimensions: Parking Surface: Asphalt

Capable for Light or Heavy Equipment and Type:

Boom Available On-Site and Length:

ADDITIONAL AMMENITIES

Fuels Available: No Fuel Propane or Natural Gas Available

Water Available: Yes Fire Hydrant:

Pumpout Available: No Pumpout Bathrooms Available: Flush

Electricity Amperage Available: No Electricity Available Camping Facilities:

Food Available: Food Available (1-5 mi.) Security Available and Hours On Duty:

GENERAL INFORMATION AND COMMENTS

Special/Pre-Planned Events and Dates:

Comments:

Photo URL: http://ocean.floridamarine.org/waterphotos/ramp photos/photo id/1203/index.htm

Facility Name: Lincoln Park Site ID: OL00128RF

Data Collector (Agency): USCG Survey Type: Planning Survey Date: 2008-04-17 00:00

Managing Agency: City of Valparaiso General Manager/Contact Person:

Contact Phone #: SCAT Description: Okaloosa County Division 2

Physical Address: North Bayshore Drive & East Washington Avenue

City: Valparaiso State: Florida Zip Code 32580 County: Okaloosa

GEOSPATIAL INFORMATION

Latitude (DMS): 30° 30′ 27.168″ N **Longitude (DMS):** 86° 29′ 15.516″ W **Latitude (DD):** 30.50754666 **Longitude (DD):** -86.48764333

SITE DESCRIPTION

Site Type: Staging Area; Boat Ramp Access: Government Owned for General Public Use

Operational Status: Open For Business Scale of Staging Area:

Hours of Operation: 24 Hours Days of Operation: 7 days a week

Water Type: Saltwater Water Body Name: Boggy Bayou / Choctawhatchee Bay

Boat Launch Capability: RAMP - Boats UNDER 25 FT; RAMP - Boats OVER 25 FT

Number of Boat Ramps: 2 Number of Boat Ramp Lanes: 2

Number of Boat Slips: 0 Number of Moorings: 0

Boat Ramp Surface Composition: Poured in place concrete

Water Depth at End of Boat Ramp: 2 - 4 feet Wave Energy at Site: Low

Shoreline Type in Viewable Viscinity: Soft Sand Access Constraints: No Access Contraints

Crane Capabilities: Not suitable for crane

Collection Point Capabilities:

Parking Capacity for Trailers: 10 Parking Capacity for Cars: 10

Parking Lot Dimensions: Parking Surface: Asphalt

Capable for Light or Heavy Equipment and Type:

Boom Available On-Site and Length:

ADDITIONAL AMMENITIES

Fuels Available: No Fuel Propane or Natural Gas Available

Water Available: No Water Fire Hydrant:

Pumpout Available: No Pumpout Bathrooms Available: Flush

Electricity Amperage Available: No Electricity Available Camping Facilities:

Food Available: Food Available (1-5 mi.) Security Available and Hours On Duty:

GENERAL INFORMATION AND COMMENTS

Special/Pre-Planned Events and Dates:

Comments:

Photo URL: http://ocean.floridamarine.org/waterphotos/ramp photos/photo id/1219/index.htm

Facility Name: Twin Cities Park Site ID: OL00122VE

Data Collector (Agency): FWC-FWRI Survey Type: Planning Survey Date: 2008-03-14 00:00

Managing Agency: City of Valparaiso General Manager/Contact Person:

Contact Phone #: 850-729-4062 SCAT Description: Okaloosa County Division 2

Physical Address: off N John Sims Pkwy

City: Valparaiso State: Florida Zip Code 32580 County: Okaloosa

GEOSPATIAL INFORMATION

Latitude (DMS): 30° 31′ 6.054″ N **Longitude (DMS):** 86° 29′ 53.586″ W **Latitude (DD):** 30.51834833 **Longitude (DD):** -86.49821833

SITE DESCRIPTION

Site Type: Staging Area; Boat Ramp Access: Government Owned for General Public Use

Operational Status: Open For Business Scale of Staging Area:

Hours of Operation:24 HoursDays of Operation:7 days a weekWater Type:SaltwaterWater Body Name:Boggy Bayou

Boat Launch Capability: Boats Under 25 ft

Number of Boat Ramps: 1 Number of Boat Ramp Lanes: 1

Number of Boat Slips: 0 Number of Moorings: 1

Boat Ramp Surface Composition: Poured in place concrete

Water Depth at End of Boat Ramp: 2 - 4 feet Wave Energy at Site: Low

Shoreline Type in Viewable Viscinity: Soft Stem Veg.; Hard Stem Veg.

Access Constraints: No Access Contraints

Crane Capabilities: Not suitable for crane

Collection Point Capabilities:

Parking Capacity for Trailers: 20 Parking Capacity for Cars: 40

Parking Lot Dimensions: Parking Surface: Asphalt

Capable for Light or Heavy Equipment and Type:

Boom Available On-Site and Length:

ADDITIONAL AMMENITIES

Fuels Available: No Fuel Propane or Natural Gas Available

Water Available: N/A Fire Hydrant:

Pumpout Available: No Pumpout Bathrooms Available: None

Electricity Amperage Available: No Electricity Available Camping Facilities:

Food Available: Food Available (1-5 mi.) Security Available and Hours On Duty:

GENERAL INFORMATION AND COMMENTS

Special/Pre-Planned Events and Dates:

Comments:

Photo URL: http://ocean.floridamarine.org/waterphotos/ramp photos/photo id/1218/index.htm

Facility Name: Fred Gannon Rocky Bayou State Park

Site ID: OL00105CL

Data Collector (Agency): FWC-FWRI Survey Type: Planning Survey Date: 2008-03-14 00:00

Managing Agency: Florida Department of Environmental Protection

General Manager/Contact Person:

Contact Phone #: 850-833-9144 SCAT Description: Okaloosa County Division 2

Physical Address: 4181 East Highway 20

City: Niceville State: Florida Zip Code 32578 County: Okaloosa

GEOSPATIAL INFORMATION

Latitude (DMS): 30° 30′ 5.436″ N **Longitude (DMS):** 86° 26′ 14.640″ W **Latitude (DD):** 30.50151000 **Longitude (DD):** -86.43740000

SITE DESCRIPTION

Site Type: Staging Area; Boat Ramp Access: Government Owned for General Public Use

Operational Status: Open For Business Scale of Staging Area:

Hours of Operation: Days of Operation: Open regular schedule, ie. M - F, 8a - Sunset

Water Type: Saltwater Water Body Name: Rocky Bayou / Chotawhatchee Bay

Boat Launch Capability: RAMP - Boats UNDER 25 FT; RAMP - Boats OVER 25 FT

Number of Boat Ramps: 1 Number of Boat Ramp Lanes: 2

Number of Boat Slips: 0 Number of Moorings: 0

Boat Ramp Surface Composition: Poured in place concrete

Water Depth at End of Boat Ramp: 2 - 4 feet Wave Energy at Site: Low

Shoreline Type in Viewable Viscinity: Soft Sand; Soft Stem Veg.

Access Constraints: Fenced

Crane Capabilities: Not suitable for crane

Collection Point Capabilities:

Parking Capacity for Trailers: 28 Parking Capacity for Cars: 30

Parking Lot Dimensions: Parking Surface: Asphalt

Capable for Light or Heavy Equipment and Type:

Boom Available On-Site and Length:

ADDITIONAL AMMENITIES

Fuels Available: No Fuel Propane or Natural Gas Available

Water Available: No Water Fire Hydrant:

Pumpout Available: No Pumpout Bathrooms Available: Pit/Composite

Electricity Amperage Available: No Electricity Available Camping Facilities:

Food Available: Food Available (1-5 mi.) Security Available and Hours On Duty:

GENERAL INFORMATION AND COMMENTS

Special/Pre-Planned Events and Dates:

Comments:

Photo URL: http://ocean.floridamarine.org/waterphotos/ramp photos/photo id/1201/index.htm