


THE JETTIES



(FLAKE, p.69)

Click Here or Scroll Down for Associated Map Data

Click on the Geographic Response Plan Target to View the ICS Form



Oil Spill Planning and Response Atlas
 2016
 The Texas General Land Office makes no representations or warranties regarding the accuracy or completeness of the information depicted on this map or the data from which it was produced. This map is not suitable for navigational purposes and does not purport to depict boundaries of private and public land.



- Human Use Features**
- Beach Access
 - GIWW
 - Audubon Sanctuaries
 - Anchorage
 - Bays
 - Salt and Brackish Marshes
 - Beach or Tidal Flat
 - Marine Bottom
 - Marine Shoreline
 - Freshwater Marshes
 - Lake / Pond
 - County Boundary
 - City Limits

- Map Base Layers**
- Road
 - GIWW
 - Audubon Sanctuaries
 - Anchorage
 - Bays
 - Salt and Brackish Marshes
 - Beach or Tidal Flat
 - Marine Bottom
 - Marine Shoreline
 - Freshwater Marshes
 - Lake / Pond
 - County Boundary
 - City Limits

- Priority Protection Areas**
- HIGH
 - MEDIUM

- Species Icons Within Map Quad**
- Turtle T/E
 - Diving Bird
 - Benthic Marine
 - Gull/Tern
 - Bivalve
 - Passerine
 - Cephalopod
 - Pelagic Bird
 - Crab
 - Raptor
 - Gastropod
 - Raptor Endangered
 - Shrimp
 - Shorebird
 - Fish
 - Shorebird Endangered
 - Dolphin
 - Wading
 - Mammal T/E
 - Wading Endangered
 - Small Mammal
 - Waterfowl

- ENVIRONMENTAL SENSITIVITY INDEX**
- 10D Mangroves and Woody Vegetation
 - 10C Freshwater Swamps
 - 10B Freshwater Marshes
 - 10A Salt and Brackish Water Marshes
 - 9 Sheltered Tidal Flats
 - 8C Sheltered Rocky/Karst Shores
 - 8D Sheltered Scarps
 - 8B Sheltered Riprap Structures
 - 8A Sheltered Solid Manmade Structures
 - 7 Exposed Tidal Flats
 - 6B Exposed Riprap Structures
 - 6A Gravel or Shell Beaches
 - 5 Mixed Sand and Gravel or Shell Beaches
 - 4 Coarse-Grained Sand Beaches
 - 3B Scarps and Steep Slopes in Sand
 - 3A Fine-Grained Sand Beaches
 - 2B Wave-Cut Clay Platforms
 - 2A Scarps and Steep Slopes in Clay
 - 1 Exposed Walls and Other Solid Structures

Quadrant: THE JETTIES

Map # :75

Biological Information for this quadrant represents known concentration areas of occurrence.

Habitat Priority Protection Areas

| PPA ID | PRIORITY | POLY DESCRIPTION | BIRDS RANK | BIRDS DESCRIPTION | FISH RANK | FISH DESCRIPTION | WETLANDS RANK | WETLANDS DESCRIPTION |
|---------|----------|--|------------|---|-----------|-------------------------------|---------------|--|
| PPA0588 | HIGH | Gulf shoreline | | | | | | |
| | HIGH | Bolivar Flats and marsh, south of Texas 87 | HIGH | Seasonal piping plover habitat, roosting and feeding area for shorebirds, wading birds, Bolivar Flats colonial water bird rookery 600-381 for Least terns | | | HIGH | Rushes, saltgrass, glasswort, smooth cordgrass grading into marshhay cordgrass |
| PPA0610 | MEDIUM | Big Reef | HIGH | Feeding area for shorebirds, piping plover, other waterbirds, Big Reef colonial water bird rookery, 600-460, for Least terns | | | | |
| PPA0612 | MEDIUM | The Lagoon | | | HIGH | Nursery, recreational fishing | HIGH | Smooth cordgrass marsh |

Biological Resources

Bird

| RARNUM | NAME | S F | T E | CONC | J | F | M | A | M | J | J | A | S | O | N | D | Nesting | Migrating | Molting | |
|-------------------------|-------------------------|------------------------|--------|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---------|-----------|---------|---|
| 0005 | American white pelican | | | COMMON | X | X | X | X | X | | | X | X | X | X | X | - | - | - | |
| | Brown pelican | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | |
| | Cormorants | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | |
| | Diving birds | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | |
| | Grebes | | | UNCOMMON | X | X | X | X | X | X | | | X | X | X | X | - | - | - | |
| | Loons | | | - | X | X | X | X | X | | | | | X | X | X | - | - | - | |
| | Gulls | | | COMMON-ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | |
| | Terns | | | COMMON-ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | |
| | Magnificent frigatebird | | | COMMON | | | | | | X | X | X | X | X | X | | - | - | - | |
| | Masked booby | | | UNCOMMON | | | X | X | X | X | X | X | X | X | X | | - | - | - | |
| | Northern gannet | | | COMMON | X | X | X | X | | | | | | X | X | X | - | - | - | |
| | Shearwaters | | | UNCOMMON | | | | | | | | | X | X | X | | - | - | - | |
| | Storm-petrels | | | RARE | | | | | X | X | X | | | | | | - | - | - | |
| | Bufflehead | | | UNCOMMON | X | X | X | | | | | | | | X | X | - | - | - | |
| | Canvasback | | | UNCOMMON | X | X | X | | | | | | | X | X | X | - | - | - | |
| | Diving ducks | | | - | X | X | X | X | X | | | | | X | X | X | - | - | - | |
| | Greater scaup | | | UNCOMMON | X | X | X | | | | | | | | X | X | - | - | - | |
| Lesser scaup | | | COMMON | X | X | X | X | | | | | | X | X | X | - | - | - | | |
| Scoters | | | RARE | X | X | X | X | | | | | | | X | X | - | - | - | | |
| 0033 | Cormorants | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | |
| | Diving birds | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | |
| | Grebes | | | - | X | X | X | X | X | X | | | X | X | X | X | - | - | - | |
| | Loons | | | - | X | X | X | X | X | | | | | X | X | X | - | - | - | |
| | Pelicans | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | |
| | Black skimmer | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | |
| | Gulls | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | |
| | Terns | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | |
| | Diving ducks | | | - | X | X | X | X | X | | | | | X | X | X | - | - | - | |
| | 0057 | Brown pelican | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| Black skimmer | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | |
| Gulls | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | |
| Terns | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | |
| Magnificent frigatebird | | | | - | | | | | X | X | X | X | X | X | | | - | - | - | |
| American avocet | | | | - | X | X | X | X | X | | X | X | X | X | X | X | - | JUL-APR* | - | |
| Dunlin | | | | - | X | X | X | X | X | | | | X | X | X | X | - | - | - | |
| Shorebirds | | | | HIGH | X | X | X | X | X | | X | X | X | X | X | X | - | - | - | |
| Short-billed dowitcher | | | | - | X | X | X | X | X | | X | X | X | X | X | X | - | JUL-MAY* | - | |
| Western sandpiper | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | JUL-MAY* | - | |
| 0058 | Willet | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | AUG-APR* | - | |
| | Reddish egret | S | T | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | |
| | Wading birds | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | |
| | American white pelican | | | - | X | X | X | | | | | | | X | X | X | - | - | - | |
| | Brown pelican | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | |
| | Cormorants | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | |
| | Black skimmer | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | |
| | Gulls | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | |
| | Terns | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | |
| | Northern harrier | | | - | X | X | X | | | | | | X | X | X | X | - | - | - | |
| 0059 | Peregrine falcon | S | T | - | X | X | X | X | | | | X | X | X | X | X | - | - | - | |
| | Raptors | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | |
| | Shorebirds | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | |
| | Wilson's plover | | | - | | | X | X | X | X | X | X | | | | | - | - | - | |
| | Reddish egret | S | T | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | |
| | Wading birds | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | |
| | 0065 | Grebes | | | - | X | X | X | X | X | | | | X | X | X | X | - | - | - |
| | | Loons | | | - | X | X | X | X | X | | | | | X | X | X | - | - | - |
| | | Shorebirds | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | | Marsh birds | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| Wading birds | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | |
| Waterfowl | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | |
| 0066 | Piping plover | S/F | T/T | 3-INDIV | X | X | X | X | X | | X | X | X | X | X | X | - | - | - | |
| | Piping plover | S/F | T/T | 4-INDIV | X | X | X | X | X | | X | X | X | X | X | X | - | - | - | |
| | 0122 | American white pelican | | | - | X | X | X | X | X | | X | X | X | X | X | - | - | - | |
| | Brown pelican | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | |

Bird

| RARNUM | NAME | S F | T E | CONC | J | F | M | A | M | J | J | A | S | O | N | D | Nesting | Migrating | Molting |
|--------|-------------------------|-----|-----|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---------|-----------|---------|
| | Cormorants | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Diving birds | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Grebes | | | - | X | X | X | X | X | X | | | X | X | X | X | - | - | - |
| | Loons | | | - | X | X | X | X | X | | | | | X | X | X | - | - | - |
| | Black skimmer | | | 100S | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Forster's tern | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Gulls | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Least tern | | | - | | | X | X | X | X | X | X | X | X | | | - | - | - |
| | Terns | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Seaside sparrow | | | - | X | X | X | X | X | X | X | X | X | X | X | X | MAR-SEP | - | - |
| | Northern harrier | | | - | X | X | X | | | | | | X | X | X | X | - | - | - |
| | Peregrine falcon | S | T | - | X | X | X | X | | | | | X | X | X | X | - | - | - |
| | Raptors | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | American avocet | | | 1000S | X | X | X | X | X | | X | X | X | X | X | X | - | JUL-APR* | - |
| | American oystercatcher | | | PRESENT | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Black-bellied plover | | | 100S | X | X | X | X | X | X | X | X | X | X | X | X | - | JUL-MAY* | - |
| | Black-necked stilt | | | - | | X | X | X | X | X | X | X | X | X | | | - | - | - |
| | Dowitchers | | | 1000S | X | X | X | X | X | | X | X | X | X | X | X | - | JUL-MAY* | - |
| | Dunlin | | | 1000S | X | X | X | X | X | | | | X | X | X | X | - | - | - |
| | Killdeer | | | 10S | X | X | X | X | X | X | X | X | X | X | X | X | - | DEC-MAR | - |
| | Long-billed curlew | | | PRESENT | X | X | X | X | X | X | X | X | X | X | X | X | - | JUN-APR* | - |
| | Marbled godwit | | | 100S | X | X | X | X | | | X | X | X | X | X | X | - | JUL-APR* | - |
| | Piping plover | S/F | T/T | 275-INDIV | X | X | X | X | X | | X | X | X | X | X | X | - | - | - |
| | Red knot | | | - | | | X | X | X | | | | X | X | X | X | - | - | - |
| | Ruddy turnstone | | | PRESENT | X | X | X | X | X | | X | X | X | X | X | X | - | - | - |
| | Sanderling | | | 100S | X | X | X | X | X | | | X | X | X | X | X | - | AUG-MAY* | - |
| | Shorebirds | | | 10000S | X | X | X | X | X | | X | X | X | X | X | X | - | - | - |
| | Western sandpiper | | | 1000S | X | X | X | X | X | X | X | X | X | X | X | X | - | JUL-MAY* | - |
| | Willet | | | 100S | X | X | X | X | X | X | X | X | X | X | X | X | - | AUG-APR* | - |
| | Wilson's plover | | | - | | | X | X | X | X | X | X | X | | | | - | - | - |
| | Yellowlegs | | | 100S | X | X | X | X | X | | X | X | X | X | X | X | - | JUL-MAY* | - |
| | Clapper rail | | | - | X | X | X | X | X | X | X | X | X | X | X | X | FEB-SEP | - | - |
| | Marsh birds | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Reddish egret | S | T | PRESENT | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Wading birds | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Diving ducks | | | - | X | X | X | X | X | | | | | X | X | X | - | - | - |
| 0274 | American white pelican | | | COMMON | X | X | X | X | X | | | X | X | X | X | X | - | - | - |
| | Brown pelican | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Cormorants | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Diving birds | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Grebes | | | UNCOMMON | X | X | X | X | X | X | | | X | X | X | X | - | - | - |
| | Loons | | | - | X | X | X | X | X | | | | | X | X | X | - | - | - |
| | Gulls | | | COMMON-ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Terns | | | COMMON-ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Magnificent frigatebird | | | COMMON | | | | | X | X | X | X | X | X | X | | - | - | - |
| | Masked booby | | | UNCOMMON | | | X | X | X | X | X | X | X | X | | | - | - | - |
| | Northern gannet | | | COMMON | X | X | X | X | | | | | | X | X | X | - | - | - |
| | Shearwaters | | | UNCOMMON | | | | | | | | X | X | X | X | | - | - | - |
| | Storm-petrels | | | RARE | | | | | X | X | X | | | | | | - | - | - |
| | Bufflehead | | | UNCOMMON | X | X | X | | | | | | | | X | X | - | - | - |
| | Canvasback | | | UNCOMMON | X | X | X | | | | | | | X | X | X | - | - | - |
| | Diving ducks | | | - | X | X | X | X | X | | | | | X | X | X | - | - | - |
| | Greater scaup | | | UNCOMMON | X | X | X | | | | | | | | X | X | - | - | - |
| | Lesser scaup | | | COMMON | X | X | X | X | | | | | | X | X | X | - | - | - |
| | Redhead | | | 0-300-BIRDS | X | X | X | | | | | | | X | X | X | - | - | - |
| | Scoters | | | RARE | X | X | X | X | | | | | | | X | X | - | - | - |
| 0327 | American white pelican | | | - | X | X | X | X | X | | | X | X | X | X | X | - | - | - |
| | Brown pelican | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Cormorants | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Diving birds | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Grebes | | | - | X | X | X | X | X | X | | | X | X | X | X | - | - | - |
| | Loons | | | - | X | X | X | X | X | | | | | X | X | X | - | - | - |
| | Black skimmer | | | 100S | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Forster's tern | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Gulls | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Least tern | | | - | | | X | X | X | X | X | X | X | X | | | - | - | - |
| | Terns | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Seaside sparrow | | | - | X | X | X | X | X | X | X | X | X | X | X | X | MAR-SEP | - | - |
| | Northern harrier | | | - | X | X | X | | | | | | X | X | X | X | - | - | - |
| | Peregrine falcon | S | T | - | X | X | X | X | | | | | X | X | X | X | - | - | - |
| | Raptors | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | American avocet | | | 1000S | X | X | X | X | X | | X | X | X | X | X | X | - | JUL-APR* | - |
| | American oystercatcher | | | PRESENT | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Black-bellied plover | | | 100S | X | X | X | X | X | X | X | X | X | X | X | X | - | JUL-MAY* | - |
| | Black-necked stilt | | | - | | X | X | X | X | X | X | X | X | X | | | - | - | - |
| | Dowitchers | | | 1000S | X | X | X | X | X | | X | X | X | X | X | X | - | JUL-MAY* | - |
| | Dunlin | | | 1000S | X | X | X | X | X | | | | X | X | X | X | - | - | - |
| | Killdeer | | | 10S | X | X | X | X | X | X | X | X | X | X | X | X | - | DEC-MAR | - |
| | Long-billed curlew | | | PRESENT | X | X | X | X | X | X | X | X | X | X | X | X | - | JUN-APR* | - |
| | Marbled godwit | | | 100S | X | X | X | X | | | X | X | X | X | X | X | - | JUL-APR* | - |
| | Piping plover | S/F | T/T | 275-INDIV | X | X | X | X | X | | X | X | X | X | X | X | - | - | - |
| | Red knot | | | - | | | X | X | X | | | | X | X | X | X | - | - | - |
| | Ruddy turnstone | | | PRESENT | X | X | X | X | X | | X | X | X | X | X | X | - | - | - |
| | Sanderling | | | 100S | X | X | X | X | X | | | X | X | X | X | X | - | AUG-MAY* | - |
| | Shorebirds | | | 10000S | X | X | X | X | X | | X | X | X | X | X | X | - | - | - |
| | Western sandpiper | | | 1000S | X | X | X | X | X | X | X | X | X | X | X | X | - | JUL-MAY* | - |
| | Willet | | | 100S | X | X | X | X | X | X | X | X | X | X | X | X | - | AUG-APR* | - |
| | Wilson's plover | | | - | | | X | X | X | X | X | X | X | | | | - | - | - |
| | Yellowlegs | | | 100S | X | X | X | X | X | | X | X | X | X | X | X | - | JUL-MAY* | - |
| | Clapper rail | | | - | X | X | X | X | X | X | X | X | X | X | X | X | FEB-SEP | - | - |

Bird

| RARNUM | NAME | S F | T E | CONC | J | F | M | A | M | J | J | A | S | O | N | D | Nesting | Migrating | Molting |
|--------|-------------------------|-----|-----|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---------|-----------|---------|
| | Marsh birds | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Reddish egret | S | T | PRESENT | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Wading birds | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Diving ducks | | | - | X | X | X | X | X | | | | | X | X | X | - | - | - |
| | Redhead | | | 0-300-BIRDS | X | X | X | | | | | | | X | X | X | - | - | - |
| 0330 | American white pelican | | | - | X | X | X | X | X | | | X | X | X | X | X | - | - | - |
| | Brown pelican | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Cormorants | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Diving birds | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Grebes | | | - | X | X | X | X | X | X | | | X | X | X | X | - | - | - |
| | Loons | | | - | X | X | X | X | X | | | | | X | X | X | - | - | - |
| | Pelicans | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Black skimmer | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Forster's tern | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Gulls | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Least tern | | | - | | | X | X | X | X | X | X | X | X | | | - | - | - |
| | Terns | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Seaside sparrow | | | - | X | X | X | X | X | X | X | X | X | X | X | X | MAR-SEP | - | - |
| | Northern harrier | | | - | X | X | X | | | | | | X | X | X | X | - | - | - |
| | Peregrine falcon | S | T | - | X | X | X | X | | | | X | X | X | X | X | - | - | - |
| | Raptors | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | American avocet | | | 1000S | X | X | X | X | X | | X | X | X | X | X | X | - | JUL-APR* | - |
| | American oystercatcher | | | PRESENT | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Black-bellied plover | | | 100S | X | X | X | X | X | X | X | X | X | X | X | X | - | JUL-MAY* | - |
| | Black-necked stilt | | | - | | X | X | X | X | X | X | X | X | X | | | - | - | - |
| | Dowitchers | | | 1000S | X | X | X | X | X | | X | X | X | X | X | X | - | JUL-MAY* | - |
| | Dunlin | | | 1000S | X | X | X | X | X | | | | X | X | X | X | - | - | - |
| | Killdeer | | | 10S | X | X | X | X | X | X | X | X | X | X | X | X | - | DEC-MAR | - |
| | Long-billed curlew | | | PRESENT | X | X | X | X | X | X | X | X | X | X | X | X | - | JUN-APR* | - |
| | Marbled godwit | | | 100S | X | X | X | X | | X | X | X | X | X | X | X | - | JUL-APR* | - |
| | Piping plover | S/F | T/T | 275-INDIV | X | X | X | X | X | | X | X | X | X | X | X | - | - | - |
| | Red knot | | | - | | X | X | X | | | | X | X | X | X | | - | - | - |
| | Ruddy turnstone | | | PRESENT | X | X | X | X | X | | X | X | X | X | X | X | - | - | - |
| | Sanderling | | | 100S | X | X | X | X | X | | | X | X | X | X | X | - | AUG-MAY* | - |
| | Shorebirds | | | 10000S | X | X | X | X | X | | X | X | X | X | X | X | - | - | - |
| | Western sandpiper | | | 1000S | X | X | X | X | X | X | X | X | X | X | X | X | - | JUL-MAY* | - |
| | Willet | | | 100S | X | X | X | X | X | X | X | X | X | X | X | X | - | AUG-APR* | - |
| | Wilson's plover | | | - | | X | X | X | X | X | X | X | | | | | - | - | - |
| | Yellowlegs | | | 100S | X | X | X | X | X | | X | X | X | X | X | X | - | JUL-MAY* | - |
| | Clapper rail | | | - | X | X | X | X | X | X | X | X | X | X | X | X | FEB-SEP | - | - |
| | Marsh birds | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Reddish egret | S | T | PRESENT | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Wading birds | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Diving ducks | | | - | X | X | X | X | X | | | | | X | X | X | - | - | - |
| 0331 | American white pelican | | | COMMON | X | X | X | X | X | | | X | X | X | X | X | - | - | - |
| | Brown pelican | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Cormorants | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Diving birds | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Grebes | | | UNCOMMON | X | X | X | X | X | X | | | X | X | X | X | - | - | - |
| | Loons | | | - | X | X | X | X | X | | | | | X | X | X | - | - | - |
| | Gulls | | | COMMON-ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Terns | | | COMMON-ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Magnificent frigatebird | | | COMMON | | | | | X | X | X | X | X | X | X | | - | - | - |
| | Masked booby | | | UNCOMMON | | | X | X | X | X | X | X | X | X | | | - | - | - |
| | Northern gannet | | | COMMON | X | X | X | X | | | | | | X | X | X | - | - | - |
| | Shearwaters | | | UNCOMMON | | | | | | | | X | X | X | X | | - | - | - |
| | Storm-petrels | | | RARE | | | | | X | X | X | | | | | | - | - | - |
| | Bufflehead | | | UNCOMMON | X | X | X | | | | | | | | X | X | - | - | - |
| | Canvasback | | | UNCOMMON | X | X | X | | | | | | | X | X | X | - | - | - |
| | Diving ducks | | | - | X | X | X | X | X | | | | | X | X | X | - | - | - |
| | Greater scaup | | | UNCOMMON | X | X | X | | | | | | | X | X | X | - | - | - |
| | Lesser scaup | | | COMMON | X | X | X | X | | | | | | X | X | X | - | - | - |
| | Redhead | | | 100-7000-BIRDS | X | X | X | | | | | | | X | X | X | - | - | - |
| | Scoters | | | RARE | X | X | X | X | | | | | | | X | X | - | - | - |
| 0332 | Piping plover | S/F | T/T | 4-INDIV | X | X | X | X | X | | X | X | X | X | X | X | - | - | - |
| | Redhead | | | 100-7000-BIRDS | X | X | X | | | | | | | X | X | X | - | - | - |
| 0333 | Brown pelican | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Black skimmer | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Gulls | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Terns | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Magnificent frigatebird | | | - | | | | | X | X | X | X | X | X | X | | - | - | - |
| | American avocet | | | - | X | X | X | X | X | | X | X | X | X | X | X | - | JUL-APR* | - |
| | Dunlin | | | - | X | X | X | X | X | | | | | X | X | X | - | - | - |
| | Piping plover | S/F | T/T | 4-INDIV | X | X | X | X | X | | X | X | X | X | X | X | - | - | - |
| | Shorebirds | | | HIGH | X | X | X | X | X | | X | X | X | X | X | X | - | - | - |
| | Short-billed dowitcher | | | - | X | X | X | X | X | | X | X | X | X | X | X | - | JUL-MAY* | - |
| | Western sandpiper | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | JUL-MAY* | - |
| | Willet | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | AUG-APR* | - |
| | Reddish egret | S | T | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Wading birds | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| 0334 | Brown pelican | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Black skimmer | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Gulls | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Terns | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Magnificent frigatebird | | | - | | | | | X | X | X | X | X | X | X | | - | - | - |
| | American avocet | | | - | X | X | X | X | X | | X | X | X | X | X | X | - | JUL-APR* | - |
| | Dunlin | | | - | X | X | X | X | X | | | | | X | X | X | - | - | - |
| | Piping plover | S/F | T/T | 3-INDIV | X | X | X | X | X | | X | X | X | X | X | X | - | - | - |
| | Shorebirds | | | HIGH | X | X | X | X | X | | X | X | X | X | X | X | - | - | - |

Bird

| RARNUM | NAME | S F | T E | CONC | J | F | M | A | M | J | J | A | S | O | N | D | Nesting | Migrating | Molting |
|--------|------------------------|-----|-----|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---------|-----------|---------|
| | Short-billed dowitcher | | | - | X | X | X | X | X | | X | X | X | X | X | X | - | JUL-MAY* | - |
| | Western sandpiper | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | JUL-MAY* | - |
| | Willet | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | AUG-APR* | - |
| | Reddish egret | S | T | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| | Wading birds | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - |
| 0335 | Piping plover | S/F | T/T | 3-INDIV | X | X | X | X | X | | X | X | X | X | X | X | - | - | - |
| | Redhead | | | 100-7000-BIRDS | X | X | X | | | | | | | X | X | X | - | - | - |
| 0336 | Black-bellied plover | | | 100S | X | X | X | X | X | X | X | X | X | X | X | X | - | JUL-MAY* | - |
| | Piping plover | S/F | T/T | 3-INDIV | X | X | X | X | X | | X | X | X | X | X | X | - | - | - |
| | Sanderling | | | 100S | X | X | X | X | X | | | X | X | X | X | X | - | AUG-MAY* | - |
| | Shorebirds | | | 100S | X | X | X | X | X | | X | X | X | X | X | X | - | - | - |
| | Wilson's plover | | | - | | | X | X | X | X | X | X | X | | | | - | - | - |
| 0337 | Black-bellied plover | | | 100S | X | X | X | X | X | X | X | X | X | X | X | X | - | JUL-MAY* | - |
| | Piping plover | S/F | T/T | 3-INDIV | X | X | X | X | X | | X | X | X | X | X | X | - | - | - |
| | Sanderling | | | 100S | X | X | X | X | X | | | X | X | X | X | X | - | AUG-MAY* | - |
| | Shorebirds | | | 100S | X | X | X | X | X | | X | X | X | X | X | X | - | - | - |
| | Wilson's plover | | | - | | | X | X | X | X | X | X | X | | | | - | - | - |
| | Redhead | | | 100-7000-BIRDS | X | X | X | | | | | | | X | X | X | - | - | - |

Fish

| RARNUM | NAME | S F | T E | CONC | J | F | M | A | M | J | J | A | S | O | N | D | Spawning | Eggs | Larvae | Juveniles | Adults |
|--------|--------------------------|-----|-----|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|----------|---------|---------|-----------|---------|
| 0536 | Atlantic croaker | | | HIGHLY-ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | AUG-APR | - | - | APR-NOV | JAN-DEC |
| | Bay anchovy | | | - | X | X | X | X | X | X | X | X | X | X | X | X | MAR-NOV | MAR-NOV | MAR-NOV | JAN-DEC | JAN-DEC |
| | Black drum | | | - | X | X | X | X | X | X | X | X | X | X | X | X | FEB-JUL | - | MAR-JUL | AUG-JAN | JAN-DEC |
| | Bonnethead shark | | | - | X | X | | | | | | | X | X | X | X | - | SEP-NOV | - | NOV-MAR* | - |
| | Gafftopsail catfish | | | - | | | | | | X | X | X | X | X | X | | - | - | - | - | - |
| | Gray snapper | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | APR-NOV | JAN-DEC | JAN-DEC |
| | Gulf menhaden | | | - | | | X | X | X | X | X | X | X | X | | | JUL-OCT | - | - | - | MAR-OCT |
| | Hardhead catfish | | | - | X | X | X | X | X | X | X | X | X | X | X | X | MAY-SEP | - | - | - | JAN-DEC |
| | Lane snapper | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | - | - |
| | Pinfish | | | - | X | X | X | X | X | X | X | X | X | X | X | X | AUG-APR | - | - | - | JAN-DEC |
| | Red drum | | | - | X | X | X | X | X | X | X | X | X | X | X | X | AUG-OCT | - | - | - | JAN-DEC |
| | Sand seatrout | | | ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | MAR-SEP | MAR-SEP | MAR-SEP | - | SEP-FEB |
| | Sheepshead | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | JAN-MAY | - | JAN-DEC |
| | Silver seatrout | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | - | - |
| | Southern flounder | | | - | X | X | | | | | | | X | X | X | X | SEP-FEB | - | - | OCT-DEC | SEP-FEB |
| | Southern kingfish | | | - | | | | | X | X | X | X | X | | | | - | - | - | - | JUN-OCT |
| | Spot | | | - | X | X | X | X | X | X | X | X | X | | | X | DEC-APR | - | - | - | DEC-SEP |
| | Spotted seatrout | | | - | X | X | | | | | | | X | X | X | X | - | - | - | - | SEP-FEB |
| | Star drum | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | - | JAN-DEC |
| | Striped mullet | | | ABUNDANT | X | X | | | | | | | X | X | X | X | OCT-DEC | - | - | - | SEP-FEB |
| | Tarpon | | | RARE | | | | | X | X | X | X | X | | | | - | - | - | - | JUN-OCT |
| | Silver perch | | | HIGHLY-ABUNDANT | X | X | | | | | | | | | | X | - | - | - | - | DEC-FEB |
| | Atlantic spadefish | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | APR-NOV | JAN-DEC |
| | Banded drum | | | - | | | X | X | X | X | X | X | | | | | - | - | - | - | - |
| | Florida pompano | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | MAY-AUG | MAY-DEC | JAN-DEC |
| | Gray triggerfish | | | ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | - | JAN-DEC |
| | Red snapper | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | APR-NOV | JAN-DEC |
| | Atlantic bumper | | | - | | | | X | X | X | X | X | X | X | X | | - | - | - | - | MAY-NOV |
| | Atlantic tripletail | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | - | - |
| | Blackfin tuna | | | - | | | | X | X | X | X | X | X | | | | - | - | - | - | MAY-OCT |
| | Blacktip shark | | | - | | | X | X | X | X | X | X | X | X | X | X | - | - | - | APR-NOV | MAR-DEC |
| | Cobia | | | - | | | | X | X | X | X | X | X | | | | - | - | - | - | - |
| | Crevalle jack | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | MAR-NOV | - | JAN-DEC |
| | Greater amberjack | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | APR-NOV | JAN-DEC |
| | Gulf butterfish | | | HIGHLY-ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | APR-NOV | JAN-DEC |
| | King mackerel | | | - | | | | X | X | X | X | X | X | | | | - | - | - | - | MAY-OCT |
| | Spanish mackerel | | | ABUNDANT | | | X | X | X | X | X | X | X | X | X | X | MAY-SEP | MAY-SEP | - | APR-NOV | MAR-NOV |
| 0537 | Atlantic croaker | | | HIGHLY-ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | AUG-APR | - | - | APR-NOV | JAN-DEC |
| | Atlantic sharpnose shark | | | - | | | X | X | X | X | X | X | X | | | | - | - | - | APR-OCT | - |
| | Bay anchovy | | | - | X | X | X | X | X | X | X | X | X | X | X | X | MAR-NOV | MAR-NOV | MAR-NOV | JAN-DEC | JAN-DEC |
| | Black drum | | | - | X | X | X | X | X | X | X | X | X | X | X | X | FEB-JUL | - | MAR-JUL | AUG-JAN | JAN-DEC |
| | Bonnethead shark | | | - | X | X | | | | | | | X | X | X | X | - | SEP-NOV | - | NOV-MAR* | - |
| | Bull shark | | | ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | - | MAY-AUG | MAY-AUG | APR-NOV | JAN-DEC |
| | Gafftopsail catfish | | | - | | | | | | X | X | X | X | X | | | - | - | - | - | - |
| | Gray snapper | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | APR-NOV | JAN-DEC | JAN-DEC |
| | Gulf menhaden | | | - | | | X | X | X | X | X | X | X | X | | | JUL-OCT | - | - | - | MAR-OCT |
| | Hardhead catfish | | | - | X | X | X | X | X | X | X | X | X | X | X | X | MAY-SEP | - | - | - | JAN-DEC |
| | Lane snapper | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | - | - |
| | Pinfish | | | - | X | X | X | X | X | X | X | X | X | X | X | X | AUG-APR | - | - | - | JAN-DEC |
| | Red drum | | | - | X | X | X | X | X | X | X | X | X | X | X | X | AUG-OCT | - | - | - | JAN-DEC |
| | Sand seatrout | | | ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | MAR-SEP | MAR-SEP | MAR-SEP | - | SEP-FEB |
| | Sheepshead | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | JAN-MAY | - | JAN-DEC |
| | Silver seatrout | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | - | - |
| | Southern flounder | | | - | X | X | | | | | | | X | X | X | X | SEP-FEB | - | - | OCT-DEC | SEP-FEB |
| | Southern kingfish | | | - | | | | | X | X | X | X | X | | | | - | - | - | - | JUN-OCT |
| | Spot | | | - | X | X | X | X | X | X | X | X | X | | | X | DEC-APR | - | - | - | DEC-SEP |
| | Spotted seatrout | | | - | X | X | | | | | | | X | X | X | X | - | - | - | - | SEP-FEB |

Fish

| RARNUM | NAME | S | F | T | E | CONC | J | F | M | A | M | J | J | A | S | O | N | D | Spawning | Eggs | Larvae | Juveniles | Adults | |
|--------|--------------------------|---|---|---|---|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|----------|---------|---------|-----------|----------|---------|
| | Star drum | | | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | - | JAN-DEC | |
| | Striped mullet | | | | | HIGHLY-ABUNDANT | | | | | X | X | X | X | X | X | X | | - | - | - | - | MAY-NOV | |
| | Tarpon | | | | | RARE | | | | | | X | X | X | X | X | | | - | - | - | - | JUN-OCT | |
| | Silver perch | | | | | HIGHLY-ABUNDANT | X | X | | | | | | | | | | X | - | - | - | - | DEC-FEB | |
| | Atlantic spadefish | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | | - | - | - | APR-NOV | JAN-DEC |
| | Banded drum | | | | | - | | | X | X | X | X | X | X | | | | | - | - | - | - | - | |
| | Florida pompano | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | | - | - | MAY-AUG | MAY-DEC | JAN-DEC |
| | Gray triggerfish | | | | | ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | | - | - | - | - | JAN-DEC |
| | Red snapper | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | | - | - | - | JAN-DEC | JAN-DEC |
| | Atlantic bumper | | | | | - | | | | | X | X | X | X | X | X | X | | - | - | - | - | MAY-NOV | |
| | Atlantic tripletail | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | | - | - | - | - | - |
| | Blackfin tuna | | | | | - | | | | | X | X | X | X | X | X | | | - | - | - | - | MAY-OCT | |
| | Blacktip shark | | | | | - | | | X | X | X | X | X | X | X | X | X | X | | - | - | - | MAR-DEC | MAR-DEC |
| | Cobia | | | | | - | | | | | X | X | X | X | | | | | - | - | - | - | - | |
| | Crevalle jack | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | | - | - | MAR-NOV | - | JAN-DEC |
| | Finetooth shark | | | | | - | | | | | X | X | X | X | X | X | | | - | MAY-JUN | MAY-OCT | - | MAY-JUN | |
| | Greater amberjack | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | | - | - | - | JAN-DEC | JAN-DEC |
| | Gulf butterfish | | | | | HIGHLY-ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | | - | - | - | JAN-DEC | JAN-DEC |
| | King mackerel | | | | | - | | | | | X | X | X | X | X | X | | | - | - | - | - | MAY-OCT | |
| | Spanish mackerel | | | | | ABUNDANT | | | X | X | X | X | X | X | X | X | X | | MAY-SEP | MAY-SEP | - | MAR-NOV | MAR-NOV | |
| | Spinner shark | | | | | - | | | | | X | X | X | X | X | X | | | MAY-JUN | MAY-JUN | MAY-JUL | MAY-OCT | MAY-OCT | |
| 0538 | Atlantic croaker | | | | | HIGHLY-ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | AUG-APR | - | - | APR-NOV | JAN-DEC | |
| | Atlantic sharpnose shark | | | | | - | | | | X | X | X | X | X | X | | | | - | - | - | APR-OCT | - | |
| | Bay anchovy | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | | MAR-NOV | MAR-NOV | MAR-NOV | JAN-DEC | JAN-DEC |
| | Black drum | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | | FEB-JUL | - | MAR-JUL | AUG-JAN | JAN-DEC |
| | Bonnethead shark | | | | | - | | X | X | | | | | | X | X | X | X | | - | SEP-NOV | - | NOV-MAR* | - |
| | Bull shark | | | | | ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | | - | MAY-AUG | MAY-AUG | APR-NOV | JAN-DEC |
| | Gafftopsail catfish | | | | | - | | | | | | X | X | X | X | X | | | - | - | - | - | - | |
| | Gray snapper | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | | - | - | APR-NOV | JAN-DEC | JAN-DEC |
| | Gulf menhaden | | | | | - | | | X | X | X | X | X | X | X | | | | JUL-OCT | - | - | - | MAR-OCT | |
| | Hardhead catfish | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | | MAY-SEP | - | - | - | JAN-DEC |
| | Lane snapper | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | | - | - | - | - | - |
| | Pinfish | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | | AUG-APR | - | - | - | JAN-DEC |
| | Red drum | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | | AUG-OCT | - | - | - | JAN-DEC |
| | Sand seatrout | | | | | ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | | MAR-SEP | MAR-SEP | MAR-SEP | - | SEP-FEB |
| | Sheepshead | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | | - | - | JAN-MAY | - | JAN-DEC |
| | Silver seatrout | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | | - | - | - | - | - |
| | Southern flounder | | | | | - | X | X | | | | | | | X | X | X | X | | SEP-FEB | - | - | OCT-DEC | SEP-FEB |
| | Southern kingfish | | | | | - | | | | | X | X | X | X | X | | | | | - | - | - | - | JUN-OCT |
| | Spot | | | | | - | X | X | X | X | X | X | X | X | X | | | X | DEC-APR | - | - | - | - | DEC-SEP |
| | Spotted seatrout | | | | | - | X | X | | | | | | | X | X | X | X | | - | - | - | - | SEP-FEB |
| | Star drum | | | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | | - | - | - | - | JAN-DEC |
| | Striped mullet | | | | | ABUNDANT | X | X | | | | | | | X | X | X | X | OCT-DEC | - | - | - | - | SEP-FEB |
| | Tarpon | | | | | RARE | | | | | | X | X | X | X | X | | | - | - | - | - | JUN-OCT | |
| | Silver perch | | | | | HIGHLY-ABUNDANT | X | X | | | | | | | | | | X | - | - | - | - | DEC-FEB | |
| | Atlantic spadefish | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | | - | - | - | APR-NOV | JAN-DEC |
| | Banded drum | | | | | - | | | X | X | X | X | X | | | | | | - | - | - | - | - | |
| | Florida pompano | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | | - | - | MAY-AUG | MAY-DEC | JAN-DEC |
| | Gray triggerfish | | | | | ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | | - | - | - | - | JAN-DEC |
| | Red snapper | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | | - | - | - | JAN-DEC | JAN-DEC |
| | Atlantic bumper | | | | | - | | | | | X | X | X | X | X | X | X | | - | - | - | - | MAY-NOV | |
| | Atlantic tripletail | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | | - | - | - | - | - |
| | Blackfin tuna | | | | | - | | | | | X | X | X | X | X | | | | - | - | - | - | MAY-OCT | |
| | Blacktip shark | | | | | - | | | X | X | X | X | X | X | X | X | X | X | | - | - | - | MAR-DEC | MAR-DEC |
| | Cobia | | | | | - | | | | | X | X | X | X | | | | | - | - | - | - | - | |
| | Crevalle jack | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | | - | - | MAR-NOV | - | JAN-DEC |
| | Finetooth shark | | | | | - | | | | | X | X | X | X | X | | | | - | MAY-JUN | MAY-OCT | - | MAY-JUN | |
| | Greater amberjack | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | | - | - | - | JAN-DEC | JAN-DEC |
| | Gulf butterfish | | | | | HIGHLY-ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | | - | - | - | JAN-DEC | JAN-DEC |
| | King mackerel | | | | | - | | | | | X | X | X | X | X | | | | - | - | - | - | MAY-OCT | |
| | Spanish mackerel | | | | | ABUNDANT | | | X | X | X | X | X | X | X | X | X | | MAY-SEP | MAY-SEP | - | MAR-NOV | MAR-NOV | |
| | Spinner shark | | | | | - | | | | | X | X | X | X | X | | | | MAY-JUN | MAY-JUN | MAY-JUL | MAY-OCT | MAY-OCT | |
| 0545 | Atlantic croaker | | | | | HIGHLY-ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | AUG-APR | - | - | APR-NOV | JAN-DEC | |
| | Atlantic sharpnose shark | | | | | - | | | | X | X | X | X | X | X | | | | - | - | - | APR-OCT | - | |
| | Bay anchovy | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | | MAR-NOV | MAR-NOV | MAR-NOV | JAN-DEC | JAN-DEC |
| | Black drum | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | | FEB-JUL | - | MAR-JUL | AUG-JAN | JAN-DEC |
| | Bonnethead shark | | | | | - | | X | X | | | | | | X | X | X | X | | - | SEP-NOV | - | NOV-MAR* | - |
| | Bull shark | | | | | ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | | - | MAY-AUG | MAY-AUG | APR-NOV | JAN-DEC |
| | Gafftopsail catfish | | | | | - | | | | | | X | X | X | X | X | | | - | - | - | - | - | |
| | Gray snapper | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | | - | - | APR-NOV | JAN-DEC | JAN-DEC |
| | Gulf menhaden | | | | | - | | | X | X | X | X | X | X | X | | | | JUL-OCT | - | - | - | MAR-OCT | |
| | Hardhead catfish | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | | MAY-SEP | - | - | - | JAN-DEC |
| | Lane snapper | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | | - | - | - | - | - |
| | Pinfish | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | | AUG-APR | - | - | - | JAN-DEC |
| | Red drum | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | | AUG-OCT | - | - | - | JAN-DEC |
| | Sand seatrout | | | | | ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | | MAR-SEP | MAR-SEP | MAR-SEP | - | SEP-FEB |
| | Sheepshead | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | | - | - | JAN-MAY | - | JAN-DEC |

Fish

| RARNUM | NAME | S | F | T | E | CONC | J | F | M | A | M | J | J | A | S | O | N | D | Spawning | Eggs | Larvae | Juveniles | Adults |
|--------|--------------------------|---|---|---|---|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|----------|---------|---------|-----------|---------|
| | Silver seatrout | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | - | - |
| | Southern flounder | | | | | - | X | X | | | | | | | | X | X | X | SEP-FEB | - | - | OCT-DEC | SEP-FEB |
| | Southern kingfish | | | | | - | | | | | | X | X | X | X | X | | | - | - | - | - | JUN-OCT |
| | Spot | | | | | - | X | X | X | X | X | X | X | X | X | | | X | DEC-APR | - | - | - | DEC-SEP |
| | Spotted seatrout | | | | | - | X | X | | | | | | | | X | X | X | - | - | - | - | SEP-FEB |
| | Star drum | | | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | - | JAN-DEC |
| | Striped mullet | | | | | ABUNDANT | X | X | | | | | | | | X | X | X | OCT-DEC | - | - | - | SEP-FEB |
| | Tarpon | | | | | RARE | | | | | | X | X | X | X | X | | | - | - | - | - | JUN-OCT |
| | Silver perch | | | | | HIGHLY-ABUNDANT | X | X | | | | | | | | | | X | - | - | - | - | DEC-FEB |
| | Atlantic spadefish | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | - | APR-NOV |
| | Banded drum | | | | | - | | | X | X | X | X | X | X | | | | | - | - | - | - | - |
| | Blennies | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | - | - |
| | Florida pompano | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | MAY-AUG | MAY-DEC | JAN-DEC |
| | Gray triggerfish | | | | | ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | - | JAN-DEC |
| | Red snapper | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | - | JAN-DEC |
| | Atlantic bumper | | | | | - | | | | | | X | X | X | X | X | X | | - | - | - | - | MAY-NOV |
| | Atlantic tripletail | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | - | - |
| | Blackfin tuna | | | | | - | | | | | X | X | X | X | X | X | | | - | - | - | - | MAY-OCT |
| | Blacktip shark | | | | | - | | | X | X | X | X | X | X | X | X | X | X | - | - | - | - | MAR-DEC |
| | Cobia | | | | | - | | | | | | X | X | X | X | | | | - | - | - | - | - |
| | Crevalle jack | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | MAR-NOV | - | JAN-DEC |
| | Finetooth shark | | | | | - | | | | | X | X | X | X | X | X | | | - | MAY-JUN | MAY-OCT | - | MAY-JUN |
| | Greater amberjack | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | - | JAN-DEC |
| | Gulf butterfish | | | | | HIGHLY-ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | - | JAN-DEC |
| | King mackerel | | | | | - | | | | | X | X | X | X | X | X | | | - | - | - | - | MAY-OCT |
| | Spanish mackerel | | | | | ABUNDANT | | | X | X | X | X | X | X | X | X | X | | MAY-SEP | MAY-SEP | - | MAR-NOV | MAR-NOV |
| | Spinner shark | | | | | - | | | | | X | X | X | X | X | X | | | MAY-JUN | MAY-JUN | MAY-JUL | MAY-OCT | MAY-OCT |
| 0546 | Gizzard shad | | | | | RARE | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | - | JAN-DEC |
| | Atlantic croaker | | | | | HIGHLY-ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | - | DEC-APR | DEC-APR | DEC-APR | APR-NOV |
| | Atlantic sharpnose shark | | | | | - | | | | X | X | X | X | X | X | X | | | - | - | - | - | APR-OCT |
| | Bay anchovy | | | | | HIGHLY-ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | MAR-NOV | MAR-NOV | MAR-NOV | JAN-DEC | JAN-DEC |
| | Black drum | | | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | FEB-JUL | - | MAR-JUL | AUG-JAN | JAN-DEC |
| | Bonnethead shark | | | | | - | | X | X | | | | | | | X | X | X | - | SEP-NOV | - | NOV-MAR* | - |
| | Bull shark | | | | | ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | - | MAY-AUG | MAY-AUG | APR-NOV | JAN-DEC |
| | Gafftopsail catfish | | | | | COMMON | | | | X | X | X | X | X | X | | | | APR-MAY | - | - | APR-OCT | APR-OCT |
| | Gulf menhaden | | | | | HIGHLY-ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | - | JAN-DEC |
| | Hardhead catfish | | | | | ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | MAY-AUG | MAY-SEP | MAY-SEP | MAY-OCT | JAN-DEC |
| | Pinfish | | | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | - | FEB-OCT |
| | Red drum | | | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | - | - | SEP-NOV | - | JAN-DEC |
| | Sand seatrout | | | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | - | JAN-DEC |
| | Sheepshead | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | FEB-APR | - | - | - | JAN-DEC |
| | Southern flounder | | | | | ABUNDANT | | | | | | | | | | | X | X | - | - | - | - | OCT-NOV |
| | Southern kingfish | | | | | COMMON | | | | X | X | X | X | X | X | X | X | | - | - | - | - | APR-NOV |
| | Spot | | | | | HIGHLY-ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | - | - | FEB-JUN | FEB-JUN | JAN-DEC |
| | Spotted seatrout | | | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | FEB-OCT | FEB-OCT | - | - | JAN-DEC |
| | Striped mullet | | | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | - | JAN-DEC |
| | Tarpon | | | | | RARE | | | | | | X | X | X | X | X | | | - | - | - | - | JUN-OCT |
| | White mullet | | | | | ABUNDANT | | | | | X | X | X | X | X | | | | - | - | - | - | MAY-OCT |
| | Gulf killifish | | | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | MAR-SEP | MAR-SEP | MAR-OCT | JAN-DEC | JAN-DEC |
| | Silver perch | | | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | MAY-SEP | MAY-SEP | MAY-SEP | OCT-JUN* | JAN-DEC |
| | Silversides | | | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | MAR-AUG | MAR-AUG | MAR-AUG | JAN-DEC | JAN-DEC |
| | Atlantic spadefish | | | | | RARE | | | | | | | | X | X | | | | - | - | - | - | AUG-SEP |
| | Bay whiff | | | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | - | APR-MAY |
| | Blennies | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | - | - |
| | Spotfin mojarra | | | | | RARE | | | | | | | | X | X | X | | | - | - | - | - | - |
| | Atlantic bumper | | | | | ABUNDANT | | | | | | X | X | X | X | X | | | - | - | - | - | JUN-OCT |
| | Blacktip shark | | | | | - | | | X | X | X | X | X | X | X | X | X | X | - | - | - | - | MAR-DEC |
| | Crevalle jack | | | | | COMMON | | | X | X | X | X | X | X | X | X | X | | - | - | - | - | MAR-NOV |
| | Finetooth shark | | | | | - | | | | | X | X | X | X | X | | | | - | MAY-JUN | MAY-OCT | - | MAY-JUN |
| | Gulf butterfish | | | | | RARE | X | X | X | X | X | | | | | | X | | - | - | - | - | - |
| | Spanish mackerel | | | | | COMMON | | | | X | X | X | X | X | X | X | X | | - | - | - | - | APR-NOV |
| | Spinner shark | | | | | - | | | | | X | X | X | X | X | X | | | MAY-JUN | MAY-JUN | MAY-JUL | MAY-OCT | MAY-OCT |
| 0547 | Gizzard shad | | | | | RARE | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | - | JAN-DEC |
| | Atlantic croaker | | | | | HIGHLY-ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | - | DEC-APR | DEC-APR | DEC-APR | APR-NOV |
| | Atlantic sharpnose shark | | | | | - | | | | X | X | X | X | X | X | | | | - | - | - | - | APR-OCT |
| | Bay anchovy | | | | | HIGHLY-ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | MAR-NOV | MAR-NOV | MAR-NOV | JAN-DEC | JAN-DEC |
| | Black drum | | | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | FEB-JUL | - | MAR-JUL | AUG-JAN | JAN-DEC |
| | Bonnethead shark | | | | | - | | X | X | | | | | | | X | X | X | - | SEP-NOV | - | NOV-MAR* | - |
| | Bull shark | | | | | ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | - | MAY-AUG | MAY-AUG | APR-NOV | JAN-DEC |
| | Gafftopsail catfish | | | | | COMMON | | | | X | X | X | X | X | X | | | | APR-MAY | - | - | APR-OCT | APR-OCT |
| | Gulf menhaden | | | | | HIGHLY-ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | - | JAN-DEC |
| | Hardhead catfish | | | | | ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | MAY-AUG | MAY-SEP | MAY-SEP | MAY-OCT | JAN-DEC |
| | Pinfish | | | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | - | FEB-OCT |
| | Red drum | | | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | - | - | SEP-NOV | - | JAN-DEC |
| | Sand seatrout | | | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | - | JAN-DEC |

Fish

| RARNUM | NAME | S | F | T | E | CONC | J | F | M | A | M | J | J | A | S | O | N | D | Spawning | Eggs | Larvae | Juveniles | Adults |
|--------|--------------------------|---|---|---|---|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|----------|---------|---------|-----------|---------|
| | Sheepshead | | | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | DEC-MAR | JAN-DEC |
| | Southern flounder | | | | | ABUNDANT | | | | | | | | | | X | X | | - | - | - | - | OCT-NOV |
| | Southern kingfish | | | | | COMMON | | | | X | X | X | X | X | X | X | X | | - | - | - | APR-NOV | - |
| | Spot | | | | | HIGHLY-ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | - | - | FEB-JUN | FEB-JUN | JAN-DEC |
| | Spotted seatrout | | | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | FEB-OCT | FEB-OCT | - | - | JAN-DEC |
| | Striped mullet | | | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | JAN-DEC | JAN-DEC |
| | Tarpon | | | | | RARE | | | | | X | X | X | X | X | | | | - | - | - | - | JUN-OCT |
| | White mullet | | | | | ABUNDANT | | | | | X | X | X | X | X | X | | | - | - | - | MAY-OCT | - |
| | Gulf killifish | | | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | MAR-SEP | MAR-SEP | MAR-OCT | JAN-DEC | JAN-DEC |
| | Silver perch | | | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | MAY-SEP | MAY-SEP | MAY-SEP | OCT-JUN* | JAN-DEC |
| | Silversides | | | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | MAR-AUG | MAR-AUG | MAR-AUG | JAN-DEC | JAN-DEC |
| | Atlantic spadefish | | | | | RARE | | | | | | | | X | X | | | | - | - | - | AUG-SEP | - |
| | Bay whiff | | | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | APR-MAY | JAN-DEC |
| | Spotfin mojarra | | | | | RARE | | | | | | | | X | X | X | | | - | - | - | - | - |
| | Atlantic bumper | | | | | ABUNDANT | | | | | X | X | X | X | X | | | | - | - | - | - | JUN-OCT |
| | Blacktip shark | | | | | - | | | X | X | X | X | X | X | X | X | X | X | - | - | - | MAR-DEC | MAR-DEC |
| | Crevalle jack | | | | | COMMON | | | X | X | X | X | X | X | X | X | X | | - | - | - | MAR-NOV | SEP-NOV |
| | Finetooth shark | | | | | - | | | | X | X | X | X | X | X | | | | - | MAY-JUN | MAY-OCT | - | MAY-JUN |
| | Gulf butterfish | | | | | RARE | X | X | X | X | X | | | | | | | X | - | - | - | - | - |
| | Spanish mackerel | | | | | COMMON | | | | X | X | X | X | X | X | X | X | | - | - | - | APR-NOV | APR-NOV |
| | Spinner shark | | | | | - | | | | | X | X | X | X | X | X | | | MAY-JUN | MAY-JUN | MAY-JUL | MAY-OCT | MAY-OCT |
| 0548 | Gizzard shad | | | | | RARE | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | - | JAN-DEC |
| | Atlantic croaker | | | | | HIGHLY-ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | - | DEC-APR | DEC-APR | DEC-APR | APR-NOV |
| | Atlantic sharpnose shark | | | | | - | | | | X | X | X | X | X | X | | | | - | - | - | APR-OCT | - |
| | Bay anchovy | | | | | HIGHLY-ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | MAR-NOV | MAR-NOV | MAR-NOV | JAN-DEC | JAN-DEC |
| | Black drum | | | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | FEB-JUL | - | MAR-JUL | AUG-JAN | JAN-DEC |
| | Bonnethead shark | | | | | - | | | | X | X | X | X | X | X | X | X | | - | SEP-NOV | - | APR-NOV | - |
| | Bull shark | | | | | ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | - | MAY-AUG | MAY-AUG | APR-NOV | JAN-DEC |
| | Gafftopsail catfish | | | | | COMMON | | | | X | X | X | X | X | X | | | | APR-MAY | - | - | APR-OCT | APR-OCT |
| | Gulf menhaden | | | | | HIGHLY-ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | JAN-DEC | JAN-DEC |
| | Hardhead catfish | | | | | ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | MAY-AUG | MAY-SEP | MAY-SEP | MAY-OCT | JAN-DEC |
| | Pinfish | | | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | FEB-OCT | JUN-FEB |
| | Red drum | | | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | - | - | SEP-NOV | - | JAN-DEC |
| | Sand seatrout | | | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | JAN-DEC | JAN-DEC |
| | Sheepshead | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | FEB-APR | - | - | - | JAN-DEC |
| | Southern flounder | | | | | ABUNDANT | | | | | | | | | | | X | X | - | - | - | - | OCT-NOV |
| | Southern kingfish | | | | | COMMON | | | | X | X | X | X | X | X | X | X | | - | - | - | APR-NOV | - |
| | Spot | | | | | HIGHLY-ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | - | - | FEB-JUN | FEB-JUN | JAN-DEC |
| | Spotted seatrout | | | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | FEB-OCT | FEB-OCT | - | - | JAN-DEC |
| | Striped mullet | | | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | JAN-DEC | JAN-DEC |

0548

0549

Fish

| RARNUM | NAME | S | F | T | E | CONC | J | F | M | A | M | J | J | A | S | O | N | D | Spawning | Eggs | Larvae | Juveniles | Adults |
|--------|--------------------------|---|---|---|---|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|----------|---------|---------|-----------|---------|
| | Tarpon | | | | | RARE | | | X | X | X | X | X | X | X | X | X | | - | - | - | MAR-NOV | - |
| | White mullet | | | | | ABUNDANT | | | | | X | X | X | X | X | X | | | - | - | - | MAY-OCT | - |
| | Gulf killifish | | | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | MAR-SEP | MAR-SEP | MAR-OCT | JAN-DEC | JAN-DEC |
| | Silver perch | | | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | MAY-SEP | MAY-SEP | MAY-SEP | OCT-JUN* | JAN-DEC |
| | Silversides | | | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | MAR-AUG | MAR-AUG | MAR-AUG | JAN-DEC | JAN-DEC |
| | Atlantic spadefish | | | | | RARE | | | | | | | | X | X | | | | - | - | - | AUG-SEP | - |
| | Bay whiff | | | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | APR-MAY | JAN-DEC |
| | Spotfin mojarra | | | | | RARE | | | | | | | | X | X | X | | | - | - | - | - | - |
| | Atlantic bumper | | | | | ABUNDANT | | | | | X | X | X | X | X | | | | - | - | - | - | JUN-OCT |
| | Blacktip shark | | | | | - | | | X | X | X | X | X | X | X | X | X | | MAY-JUN | MAY-JUN | MAY-NOV | MAR-NOV | MAY-JUN |
| | Crevalle jack | | | | | COMMON | | | X | X | X | X | X | X | X | X | X | | - | - | - | MAR-NOV | SEP-NOV |
| | Finetooth shark | | | | | - | | | | X | X | X | X | X | X | | | | - | MAY-JUN | MAY-OCT | - | MAY-JUN |
| | Gulf butterfish | | | | | RARE | X | X | X | X | X | | | | | | X | | - | - | - | - | - |
| | Spanish mackerel | | | | | COMMON | | | | X | X | X | X | X | X | X | X | | - | - | - | APR-NOV | APR-NOV |
| | Spinner shark | | | | | - | | | | X | X | X | X | X | X | | | | MAY-JUN | MAY-JUN | MAY-JUL | MAY-OCT | MAY-OCT |
| 0553 | Atlantic croaker | | | | | HIGHLY-ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | AUG-APR | - | - | APR-NOV | JAN-DEC |
| | Atlantic sharpnose shark | | | | | - | | | | X | X | X | X | X | X | | | | - | - | - | APR-OCT | - |
| | Bay anchovy | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | MAR-NOV | MAR-NOV | MAR-NOV | JAN-DEC | JAN-DEC |
| | Black drum | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | FEB-JUL | - | MAR-JUL | AUG-JAN | JAN-DEC |
| | Bonnethead shark | | | | | - | | X | X | | | | | | X | X | X | X | - | SEP-NOV | - | NOV-MAR* | - |
| | Bull shark | | | | | ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | - | MAY-AUG | MAY-AUG | APR-NOV | JAN-DEC |
| | Gafftopsail catfish | | | | | - | | | | | | X | X | X | X | X | | | - | - | - | - | - |
| | Gray snapper | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | APR-NOV | JAN-DEC | JAN-DEC |
| | Gulf menhaden | | | | | - | | | X | X | X | X | X | X | X | X | | | JUL-OCT | - | - | - | MAR-OCT |
| | Hardhead catfish | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | MAY-SEP | - | - | - | JAN-DEC |
| | Lane snapper | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | - | - |
| | Pinfish | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | AUG-APR | - | - | - | JAN-DEC |
| | Red drum | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | AUG-OCT | - | - | - | JAN-DEC |
| | Sand seatrout | | | | | ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | MAR-SEP | MAR-SEP | MAR-SEP | - | SEP-FEB |
| | Sheepshead | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | JAN-MAY | - | JAN-DEC |
| | Silver seatrout | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | - | - |
| | Southern flounder | | | | | - | X | X | | | | | | | X | X | X | X | SEP-FEB | - | - | OCT-DEC | SEP-FEB |
| | Southern kingfish | | | | | - | | | | | X | X | X | X | X | | | | - | - | - | - | JUN-OCT |
| | Spot | | | | | - | X | X | X | X | X | X | X | X | X | | | X | DEC-APR | - | - | - | DEC-SEP |
| | Spotted seatrout | | | | | - | X | X | | | | | | | X | X | X | X | - | - | - | - | SEP-FEB |
| | Star drum | | | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | - | JAN-DEC |
| | Striped mullet | | | | | HIGHLY-ABUNDANT | | | | | X | X | X | X | X | X | X | | - | - | - | - | MAY-NOV |
| | Tarpon | | | | | RARE | | | | | X | X | X | X | X | | | | - | - | - | - | JUN-OCT |
| | Silver perch | | | | | HIGHLY-ABUNDANT | X | X | | | | | | | | | X | | - | - | - | - | DEC-FEB |
| | Atlantic spadefish | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | APR-NOV | JAN-DEC |
| | Banded drum | | | | | - | | | X | X | X | X | X | | | | | | - | - | - | - | - |
| | Blennies | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | - | - |
| | Florida pompano | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | MAY-AUG | MAY-DEC | JAN-DEC |
| | Gray triggerfish | | | | | ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | - | JAN-DEC |
| | Red snapper | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | JAN-DEC | JAN-DEC |
| | Atlantic bumper | | | | | - | | | | X | X | X | X | X | X | X | X | | - | - | - | - | MAY-NOV |
| | Atlantic tripletail | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | - | - |
| | Blackfin tuna | | | | | - | | | | X | X | X | X | X | X | | | | - | - | - | - | MAY-OCT |
| | Blacktip shark | | | | | - | | | X | X | X | X | X | X | X | X | X | X | - | - | - | MAR-DEC | MAR-DEC |
| | Cobia | | | | | - | | | | X | X | X | X | | | | | | - | - | - | - | - |
| | Crevalle jack | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | MAR-NOV | - | JAN-DEC |
| | Finetooth shark | | | | | - | | | | X | X | X | X | X | X | | | | - | MAY-JUN | MAY-OCT | - | MAY-JUN |
| | Greater amberjack | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | JAN-DEC | JAN-DEC |
| | Gulf butterfish | | | | | HIGHLY-ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | JAN-DEC | JAN-DEC |
| | King mackerel | | | | | - | | | | X | X | X | X | X | X | | | | - | - | - | - | MAY-OCT |
| | Spanish mackerel | | | | | ABUNDANT | | | X | X | X | X | X | X | X | X | X | | MAY-SEP | MAY-SEP | - | MAR-NOV | MAR-NOV |
| | Spinner shark | | | | | - | | | | X | X | X | X | X | X | | | | MAY-JUN | MAY-JUN | MAY-JUL | MAY-OCT | MAY-OCT |
| 0554 | Gizzard shad | | | | | RARE | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | - | JAN-DEC |
| | Atlantic sharpnose shark | | | | | - | | | | X | X | X | X | X | X | | | | - | - | - | APR-OCT | - |
| | Bay anchovy | | | | | HIGHLY-ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | MAR-NOV | MAR-NOV | MAR-NOV | JAN-DEC | JAN-DEC |
| | Bonnethead shark | | | | | - | | X | X | | | | | | X | X | X | X | - | SEP-NOV | - | NOV-MAR* | - |
| | Bull shark | | | | | ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | - | MAY-AUG | MAY-AUG | APR-NOV | JAN-DEC |
| | Gafftopsail catfish | | | | | COMMON | | | | X | X | X | X | X | X | | | | APR-MAY | - | - | APR-OCT | APR-OCT |
| | Gulf menhaden | | | | | HIGHLY-ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | JAN-DEC | JAN-DEC |
| | Hardhead catfish | | | | | ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | MAY-AUG | MAY-SEP | MAY-SEP | MAY-OCT | JAN-DEC |
| | Pinfish | | | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | FEB-OCT | JUN-FEB |
| | Sand seatrout | | | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | JAN-DEC | JAN-DEC |
| | Sheepshead | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | FEB-APR | - | - | - | JAN-DEC |
| | Southern kingfish | | | | | COMMON | | | | X | X | X | X | X | X | X | | | - | - | - | APR-NOV | - |
| | Striped mullet | | | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | JAN-DEC | JAN-DEC |
| | Tarpon | | | | | RARE | | | | | X | X | X | X | | | | | - | - | - | - | JUN-OCT |
| | White mullet | | | | | ABUNDANT | | | | | X | X | X | X | X | | | | - | - | - | MAY-OCT | - |
| | Gulf killifish | | | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | MAR-SEP | MAR-SEP | MAR-OCT | JAN-DEC | JAN-DEC |
| | Silver perch | | | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | MAY-SEP | MAY-SEP | MAY-SEP | OCT-JUN* | JAN-DEC |
| | Silversides | | | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | MAR-AUG | MAR-AUG | MAR-AUG | JAN-DEC | JAN-DEC |
| | Atlantic spadefish | | | | | RARE | | | | | | | | X | X | | | | - | - | - | AUG-SEP | - |
| | Bay whiff | | | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | APR-MAY | JAN-DEC |
| | Blennies | | | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | - | - |

Fish

| RARNUM | NAME | S F | T E | CONC | J | F | M | A | M | J | J | A | S | O | N | D | Spawning | Eggs | Larvae | Juveniles | Adults |
|--------|--------------------|-----|-----|----------|---|---|---|---|---|---|---|---|---|---|---|---|----------|---------|---------|-----------|---------|
| | Spotfin mojarra | | | RARE | | | | | | | | X | X | X | | | - | - | - | - | - |
| | Atlantic bumper | | | ABUNDANT | | | | | | X | X | X | X | X | | | - | - | - | - | JUN-OCT |
| | Blacktip shark | | | - | | | X | X | X | X | X | X | X | X | X | X | - | - | - | MAR-DEC | MAR-DEC |
| | Crevalle jack | | | COMMON | | | X | X | X | X | X | X | X | X | X | | - | - | - | MAR-NOV | SEP-NOV |
| | Finetooth shark | | | - | | | | | X | X | X | X | X | X | | | - | MAY-JUN | MAY-OCT | - | MAY-JUN |
| | Gulf butterflyfish | | | RARE | X | X | X | X | X | | | | | | | X | - | - | - | - | - |
| | Spanish mackerel | | | COMMON | | | | X | X | X | X | X | X | X | X | | - | - | - | - | APR-NOV |
| | Spinner shark | | | - | | | | | X | X | X | X | X | X | | | MAY-JUN | MAY-JUN | MAY-JUL | MAY-OCT | MAY-OCT |

Invertebrate

| RARNUM | NAME | S F | T E | CONC | J | F | M | A | M | J | J | A | S | O | N | D | Spawning | Eggs | Larvae | Juveniles | Adults | |
|--------|------------------------|-----|-----|----------|---|---|---|---|---|---|---|---|---|---|---|---|----------|---------|---------|-----------|---------|---------|
| 0655 | Atlantic surfclam | | | - | X | X | X | X | X | X | X | X | X | X | X | X | SEP-MAY* | - | - | - | - | JAN-DEC |
| | Atlantic ghost crab | | | - | X | X | X | X | X | X | X | X | X | X | X | X | AUG-APR* | - | - | - | - | JAN-DEC |
| | Mole crab | | | - | X | X | X | X | X | X | X | X | X | X | X | X | APR-MAY | - | - | - | - | JAN-DEC |
| | Speckled swimming crab | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | - | - | - |
| | Lettered olive | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | - | - | - |
| 0656 | Brief squid | | | - | X | X | X | X | X | X | X | X | X | X | X | X | MAR-DEC | MAR-DEC | MAR-DEC | JAN-DEC | JAN-DEC | |
| | Blue crab | | | ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | - | - | JAN-DEC | - | - | |
| | Lesser blue crab | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | MAR-DEC | - | - | |
| | Atlantic seabob shrimp | | | - | X | | | | | | | | | X | X | X | - | - | - | - | OCT-JAN | |
| | Brown shrimp | | | - | | | X | X | X | X | X | X | X | X | | | - | - | - | - | MAR-OCT | |
| | White shrimp | | | ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | MAR-SEP | - | - | - | - | JAN-DEC |
| 0659 | Brief squid | | | ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | MAR-DEC | MAR-DEC | MAR-DEC | JAN-DEC | JAN-DEC | |
| | Blue crab | | | ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | MAR-OCT | MAR-OCT | MAR-NOV | JAN-DEC | JAN-DEC | |
| | Gulf stone crab | | | RARE | X | X | X | X | X | X | X | X | X | X | X | X | NOV-MAR | MAR-NOV | MAR-DEC | JAN-DEC | JAN-DEC | |
| | Lesser blue crab | | | ABUNDANT | | | | X | X | X | X | X | X | X | X | | - | - | - | - | APR-NOV | |
| | Atlantic seabob shrimp | | | RARE | | | | | | X | X | X | X | | | | - | - | - | - | JUN-SEP | |
| | Grass shrimp | | | ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | JAN-DEC | JAN-DEC | JAN-DEC | JAN-DEC | JAN-DEC | |
| 0691 | Atlantic surfclam | | | - | X | X | X | X | X | X | X | X | X | X | X | X | SEP-MAY* | - | - | - | - | JAN-DEC |
| | Brief squid | | | - | X | X | X | X | X | X | X | X | X | X | X | X | MAR-DEC | MAR-DEC | MAR-DEC | JAN-DEC | JAN-DEC | |
| | Atlantic ghost crab | | | - | X | X | X | X | X | X | X | X | X | X | X | X | AUG-APR* | - | - | - | - | JAN-DEC |
| | Blue crab | | | ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | - | - | JAN-DEC | - | - | |
| | Lesser blue crab | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | MAR-DEC | - | - | |
| | Mole crab | | | - | X | X | X | X | X | X | X | X | X | X | X | X | APR-MAY | - | - | - | - | JAN-DEC |
| | Speckled swimming crab | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | - | - | - |
| | Lettered olive | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | - | - | - |
| | Atlantic seabob shrimp | | | - | X | | | | | | | | | X | X | X | - | - | - | - | OCT-JAN | |
| | Brown shrimp | | | - | | | X | X | X | X | X | X | X | X | | | - | - | - | - | MAR-OCT | |
| | White shrimp | | | ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | MAR-SEP | - | - | - | - | JAN-DEC |
| 0702 | Brief squid | | | - | X | X | X | X | X | X | X | X | X | X | X | X | MAR-DEC | MAR-DEC | MAR-DEC | JAN-DEC | JAN-DEC | |
| | Blue crab | | | ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | - | - | JAN-DEC | - | - | |
| | Lesser blue crab | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | MAR-DEC | - | - | |
| | Atlantic seabob shrimp | | | - | X | | | | | | | | | X | X | X | - | - | - | - | OCT-JAN | |
| | Brown shrimp | | | - | | | X | X | X | X | X | X | X | X | | | - | - | - | - | MAR-OCT | |
| | White shrimp | | | ABUNDANT | | | | | X | X | X | X | X | X | X | | - | - | MAY-NOV | - | - | |
| 0704 | Brief squid | | | ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | MAR-DEC | MAR-DEC | MAR-DEC | JAN-DEC | JAN-DEC | |
| | Blue crab | | | ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | MAR-OCT | MAR-OCT | MAR-NOV | JAN-DEC | JAN-DEC | |
| | Gulf stone crab | | | RARE | X | X | X | X | X | X | X | X | X | X | X | X | NOV-MAR | MAR-NOV | MAR-DEC | JAN-DEC | JAN-DEC | |
| | Lesser blue crab | | | ABUNDANT | | | | X | X | X | X | X | X | X | X | | - | - | - | - | APR-NOV | |
| | Atlantic seabob shrimp | | | RARE | | | | | | X | X | X | X | | | | - | - | - | - | JUN-SEP | |
| | Brown shrimp | | | ABUNDANT | | X | X | X | X | X | X | X | X | X | | | - | - | FEB-APR | - | MAR-OCT | |
| | Grass shrimp | | | ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | JAN-DEC | JAN-DEC | JAN-DEC | JAN-DEC | JAN-DEC | |
| | White shrimp | | | ABUNDANT | | | | | X | X | X | X | X | X | | | - | - | MAY-NOV | - | - | |
| 0705 | Atlantic surfclam | | | - | X | X | X | X | X | X | X | X | X | X | X | X | SEP-MAY* | - | - | - | - | JAN-DEC |
| | Brief squid | | | ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | MAR-DEC | MAR-DEC | MAR-DEC | JAN-DEC | JAN-DEC | |
| | Atlantic ghost crab | | | - | X | X | X | X | X | X | X | X | X | X | X | X | AUG-APR* | - | - | - | - | JAN-DEC |
| | Blue crab | | | ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | MAR-OCT | MAR-OCT | MAR-NOV | JAN-DEC | JAN-DEC | |
| | Gulf stone crab | | | RARE | X | X | X | X | X | X | X | X | X | X | X | X | NOV-MAR | MAR-NOV | MAR-DEC | JAN-DEC | JAN-DEC | |
| | Lesser blue crab | | | ABUNDANT | | | | X | X | X | X | X | X | X | | | - | - | - | - | APR-NOV | |
| | Mole crab | | | - | X | X | X | X | X | X | X | X | X | X | X | X | APR-MAY | - | - | - | - | JAN-DEC |
| | Speckled swimming crab | | | COMMON | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | - | - | - |
| | Lettered olive | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | - | - | - | - | - |
| | Atlantic seabob shrimp | | | RARE | | | | | | X | X | X | X | | | | - | - | - | - | JUN-SEP | |
| | Brown shrimp | | | ABUNDANT | | X | X | X | X | X | X | X | X | X | | | - | - | FEB-APR | - | MAR-OCT | |
| | Grass shrimp | | | ABUNDANT | X | X | X | X | X | X | X | X | X | X | X | X | JAN-DEC | JAN-DEC | JAN-DEC | JAN-DEC | JAN-DEC | |
| | White shrimp | | | ABUNDANT | | | | | X | X | X | X | X | X | | | - | - | MAY-NOV | - | - | |

Marine Mammal

| RARNUM | NAME | S F | T E | CONC | J | F | M | A | M | J | J | A | S | O | N | D | Mating | Calving | Pupping | Molting |
|--------|---------------------|-----|-----|-----------|---|---|---|---|---|---|---|---|---|---|---|---|--------|---------|---------|---------|
| 0736 | Bottlenose dolphin | | | HIGH | X | X | X | X | X | X | X | X | X | X | X | X | - | JAN-DEC | - | - |
| 0738 | Bottlenose dolphin | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | JAN-DEC | - | - |
| 0740 | Bottlenose dolphin | | | - | X | X | X | X | X | X | X | X | X | X | X | X | - | JAN-DEC | - | - |
| | West Indian manatee | S/F | E/E | VERY-RARE | | | | | | X | X | X | | | | | - | - | - | - |
| 0742 | Bottlenose dolphin | | | HIGH | X | X | X | X | X | X | X | X | X | X | X | X | - | JAN-DEC | - | - |
| | West Indian manatee | S/F | E/E | VERY-RARE | | | | | | X | X | X | | | | | - | - | - | - |

Reptile

| RARNUM | NAME | S F | T E | CONC | J | F | M | A | M | J | J | A | S | O | N | D | Nesting | Hatching | Interesting | Juveniles | Adults | |
|--------|--------------------------|-----|-----|------------|---|---|---|---|---|---|---|---|---|---|---|---|---------|----------|-------------|-----------|---------|---|
| 0748 | Kemp's ridley sea turtle | S/F | E/E | 7-15-NESTS | | | X | X | X | X | X | X | X | | | | MAR-JUL | APR-SEP | - | APR-SEP | MAR-JUL | |
| 0762 | Green sea turtle | S/F | T/T | OCCASIONAL | | | X | X | X | X | X | X | X | X | X | | - | - | - | MAR-NOV | - | |
| | Hawksbill sea turtle | S/F | E/E | OCCASIONAL | | | X | X | X | X | X | X | X | X | | | - | - | - | MAR-OCT | - | |
| | Kemp's ridley sea turtle | S/F | E/E | COMMON | | | | X | X | X | X | X | X | X | X | | - | - | - | APR-NOV | APR-NOV | |
| | Loggerhead sea turtle | S/F | T/T | OCCASIONAL | X | X | X | X | X | X | X | X | X | X | X | X | | - | - | - | JAN-DEC | - |
| 0763 | Kemp's ridley sea turtle | S/F | E/E | 0-6-NESTS | | | X | X | X | X | X | X | X | | | | MAR-JUL | APR-SEP | - | APR-SEP | MAR-JUL | |
| | Loggerhead sea turtle | S/F | T/T | 0-1-NEST | | | X | X | X | X | X | X | X | X | | | APR-SEP | MAY-OCT | - | MAY-OCT | APR-SEP | |
| 0769 | Green sea turtle | S/F | T/T | OCCASIONAL | | | X | X | X | X | X | X | X | X | X | | - | - | - | MAR-NOV | - | |
| | Hawksbill sea turtle | S/F | E/E | OCCASIONAL | | | X | X | X | X | X | X | X | X | | | - | - | - | MAR-OCT | - | |
| | Kemp's ridley sea turtle | S/F | E/E | 0-6-NESTS | | | X | X | X | X | X | X | X | | | | MAR-JUL | APR-SEP | - | APR-SEP | MAR-JUL | |
| | Loggerhead sea turtle | S/F | T/T | 0-1-NEST | | | X | X | X | X | X | X | X | X | | | APR-SEP | MAY-OCT | - | MAY-OCT | APR-SEP | |
| 0774 | Green sea turtle | S/F | T/T | OCCASIONAL | | | X | X | X | X | X | X | X | X | X | | - | - | - | MAR-NOV | - | |
| | Hawksbill sea turtle | S/F | E/E | OCCASIONAL | | | X | X | X | X | X | X | X | X | | | - | - | - | MAR-OCT | - | |
| | Kemp's ridley sea turtle | S/F | E/E | 7-15-NESTS | | | X | X | X | X | X | X | X | | | | MAR-JUL | APR-SEP | - | APR-SEP | MAR-JUL | |
| | Loggerhead sea turtle | S/F | T/T | OCCASIONAL | X | X | X | X | X | X | X | X | X | X | X | X | | - | - | - | JAN-DEC | - |

Terrestrial Mammal

| RARNUM | NAME | S F | T E | CONC | J | F | M | A | M | J | J | A | S | O | N | D | Nesting |
|--------|----------------------|-----|-----|------|---|---|---|---|---|---|---|---|---|---|---|---|---------|
| 0798 | Northern river otter | | | - | X | X | X | X | X | X | X | X | X | X | X | X | N/A |

Human Use Resources

| Beach Access | RARNUM | NAME | CONTACT | CONTACT INFO |
|--------------|--------|--------------|---------|---------------------|
| | 3068 | 22ND Street | | |
| | 3069 | 18TH Street | | |
| | 3070 | 17TH Street | | |
| Heliport | RARNUM | NAME | CONTACT | CONTACT INFO |
| | 6109 | GALVESTONIAN | 64TA | GALVESTON, TX 77550 |

| | | |
|------------------|-----------------------------------|----------------------------|
| 1. Incident Name | 2. Operational Period (Date/Time) | Assignment List ICS 204-OS |
|------------------|-----------------------------------|----------------------------|

| | |
|-----------|-------------------|
| 3. Branch | 4. Division/Group |
|-----------|-------------------|

| | |
|---------------------------|-------|
| 5. Operations Personnel | |
| Operations Section Chief | _____ |
| Branch Director | _____ |
| Division/Group Supervisor | _____ |

| 6. Resources Assigned This Period | | | | | | "X" Indicates 204a attachment with special instructions |
|-----------------------------------|--------|----------------|--------------|------------------------------|--|---|
| Resource Identifier | Leader | Contact Info # | # of Persons | Reporting Info/Notes/Remarks | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| |
|----------------|
| 7. Assignments |
|----------------|

SAFETY NOTE: The north jetty is a prime location for fishing from shore year round. Currents can be swift along the jetty and water can be shallow on the north side approaching the flats.

| | | | | |
|-------------------------|-----------------------------|---------------------------|----------------------------|-------------------------|
| 8. Site Number: 75-A | 9. Quad Name The Jetties | 10. NOAA Chart # 11324 | 11. GLO Atlas Page # 75 | 12. County Galveston |
|-------------------------|-----------------------------|---------------------------|----------------------------|-------------------------|


| | | | | |
|--|--|--|------------------------------------|-----|
| 13. Site Information: Bolivar Flats Bolivar Flats is a sensitive wildlife area. Contact Houston Audubon Society 832-385-7551 if any spill threatens this area. | | | 14. Latitude From: 29 22' 04"N | To: |
| | | | 15. Longitude From: 94 44' 09"W | To: |

| | | |
|--|----------------------------------|---------------------------------|
| 16. Closest Boat Ramp Galveston Yacht Basin | 17. Distance From Ramp 3.5 NM | 18. Boat Type Multiple Types |
|--|----------------------------------|---------------------------------|

| | | |
|--|--|--|
| 19. Directions From Local Sector Take 45S to Seawall and turn Left, follow signs to Hwy 87 and Ferry Landing. Take Ferry to Bolivar. Exit Ferry and proceed to 17th St. in Port Bolivar. Turn right and proceed to base of jetty. | | 20. Closest Airport Scholes Field (GLS) |
| | | 21. Closest Helo Spot Scholes Field (GLS) |

| | | |
|--|----------------------------|-------------------------------------|
| 22. Trustee/Contact Numbers | 23. Resources at Risk | 24. Width of inlet 900-2100' in ft. |
| USCG: (281) 464-4800 RRC: (713) 869-5001 | Atlas Priority High | 25. Water depth in ft. <1' |
| USCG DUTY: (800) 424-4800 TPWD: (281) 842-8100 | Environmental High | 26. Current Slow |
| TGLO: (800) 832-8224 NRDA: (512) 463 -9309 | Economic N/A | 27. No. of Personnel 6 |
| TCEQ: (713) 767-3563 USFWS: (281) 286-8282 | | |

| |
|---|
| 25. Booming Strategy Recommendation Boom to prevent oil from impacting sensitive marshes. |
|---|



| | | |
|------------------|---------------------------------------|------------------------|
| 29. Prepared By: | 30. Reviewed by (PSC) | 31. Reviewed by (OSC): |
| Assignment List | ICS 204 OS (Geographic Response Plan) | Project Updated: |

"Response strategies may need to be modified to account for changes due to seasonality, weather conditions, spill characteristics, tides and any other considerations."

| | | |
|------------------|-----------------------------------|----------------------------|
| 1. Incident Name | 2. Operational Period (Date/Time) | Assignment List ICS 204-OS |
|------------------|-----------------------------------|----------------------------|

| | |
|-----------|-------------------|
| 3. Branch | 4. Division/Group |
|-----------|-------------------|

| | |
|---------------------------|-------|
| 5. Operations Personnel | |
| Operations Section Chief | _____ |
| Branch Director | _____ |
| Division/Group Supervisor | _____ |

| 6. Resources Assigned This Period | | | | | "X" Indicates 204a attachment with special instructions |
|-----------------------------------|--------|----------------|--------------|------------------------------|---|
| Resource Identifier | Leader | Contact Info # | # of Persons | Reporting Info/Notes/Remarks | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

| |
|----------------|
| 7. Assignments |
|----------------|

SAFETY NOTE: Caution needs to be taken with passing vessel traffic producing large swells and swift currents.

| | | | | |
|-------------------------|-----------------------------|---------------------------|----------------------------|-------------------------|
| 8. Site Number: 75-B | 9. Quad Name The Jetties | 10. NOAA Chart # 11324 | 11. GLO Atlas Page # 75 | 12. County Galveston |
|-------------------------|-----------------------------|---------------------------|----------------------------|-------------------------|


| | | | |
|---|------------------------------------|-----|--|
| 13. Site Information: Big Reef Marsh located on the north side of Bodecker Drive. Spartina and Black Mangroves present. Lake is one mile long. South/north entrances open at high tide. | 14. Latitude From: 29 20' 02"N | To: | |
| | 15. Longitude From: 94 44' 54"W | To: | |

| | | |
|--|--------------------------------|---------------------------------|
| 16. Closest Boat Ramp Galveston Yacht Basin | 17. Distance From Ramp 4 NM | 18. Boat Type Multiple Types |
|--|--------------------------------|---------------------------------|

| | | |
|--|--|--|
| 19. Directions From Local Sector Take 45S to Seawall and turn Left on Seawall to dead end at jetty. | 20. Closest Airport Scholes Field (GLS) | 21. Closest Helo Spot Scholes Field (GLS) |
|--|--|--|

| | | |
|--|-----------------------|---------------------------------|
| 22. Trustee/Contact Numbers | 23. Resources at Risk | 24. Width of inlet 1000' in ft. |
| USCG: (281) 464-4800 RRC: (713) 869-5001 | Atlas Priority Medium | 25. Water depth in ft. 3' |
| USCG DUTY: (800) 424-4800 TPWD: (281) 842-8100 | Environmental High | 26. Current Slow |
| TGLO: (800) 832-8224 NRDA: (512) 463 -9309 | Economic N/A | 27. No. of Personnel 4 |
| TCEQ: (713) 767-3563 USFWS: (281) 286-8282 | | |

| |
|---|
| 25. Booming Strategy Recommendation Boom to protect sensitive marshes. Cascading diversion boom may work in calm sea conditions. Multiple cuts from beach into marsh may exist. |
|---|



| | | |
|------------------|---------------------------------------|------------------------|
| 29. Prepared By: | 30. Reviewed by (PSC) | 31. Reviewed by (OSC): |
| Assignment List | ICS 204 OS (Geographic Response Plan) | Project Updated: |

"Response strategies may need to be modified to account for changes due to seasonality, weather conditions, spill characteristics, tides and any other considerations."

| | | |
|------------------|-----------------------------------|----------------------------|
| 1. Incident Name | 2. Operational Period (Date/Time) | Assignment List ICS 204-OS |
|------------------|-----------------------------------|----------------------------|

| | |
|-----------|-------------------|
| 3. Branch | 4. Division/Group |
|-----------|-------------------|

| | |
|---------------------------|-------|
| 5. Operations Personnel | |
| Operations Section Chief | _____ |
| Branch Director | _____ |
| Division/Group Supervisor | _____ |

6. Resources Assigned This Period "X" Indicates 204a attachment with special instructions

| Resource Identifier | Leader | Contact Info # | # of Persons | Reporting Info/Notes/Remarks |
|---------------------|--------|----------------|--------------|------------------------------|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

7. Assignments

SAFETY NOTE: Swift currents under bridge and during tidal exchanges or vessel passage.

| | | | | |
|-------------------------|---------------------------|---------------------------------|----------------------------|-------------------------|
| 8. Site Number: 75-C | 9. Quad Name Galveston | 10. NOAA Chart # 11324,11326 | 11. GLO Atlas Page # 75 | 12. County Galveston |
|-------------------------|---------------------------|---------------------------------|----------------------------|-------------------------|

| | | | |
|---|------------------------------------|-----|--|
| 13. Site Information: The Lagoon The lagoon entrance soft bottom with rock shoreline. | 14. Latitude From: 29 20' 04"N | To: | |
| | 15. Longitude From: 94 44' 58"W | To: | |

| | | |
|--|--------------------------------|---------------------------------|
| 16. Closest Boat Ramp Galveston Yacht Basin | 17. Distance From Ramp 3 NM | 18. Boat Type Multiple Types |
|--|--------------------------------|---------------------------------|

| | |
|---|--|
| 19. Directions From Local Sector Take 45S to Seawall and turn Left on Seawall Blvd then Right on Boddecker Dr. | 20. Closest Airport Scholes Field (GLS) |
| | 21. Closest Helo Spot Scholes Field (GLS) |

| | | |
|--|-----------------------|-------------------------------|
| 22. Trustee/Contact Numbers | 23. Resources at Risk | 24. Width of inlet 50' in ft. |
| USCG: (281) 464-4800 RRC: (713) 869-5001 | Atlas Priority Medium | 25. Water depth in ft. 6' |
| USCG DUTY: (800) 424-4800 TPWD: (281) 842-8100 | Environmental High | 26. Current Fast |
| TGLO: (800) 832-8224 NRDA: (512) 463 -9309 | Economic N/A | 27. No. of Personnel 4 |
| TCEQ: (713) 767-3563 USFWS: (281) 286-8282 | | |

25. Booming Strategy **Recommendation**
Use containment boom at the mouth of the cut to prevent oil migration into the lagoon and adjacent marshes. Sorbent material contained in wire baskets can be suspended from the bridge to collect oil entraining under the boom.

AERIAL PHOTO



ON SITE PHOTO



| | | |
|------------------|---------------------------------------|------------------------|
| 29. Prepared By: | 30. Reviewed by (PSC) | 31. Reviewed by (OSC): |
| Assignment List | ICS 204 OS (Geographic Response Plan) | Project Updated: |

"Response strategies may need to be modified to account for changes due to seasonality, weather conditions, spill characteristics, tides and any other considerations."